


TO: JAMES L. APP, CITY MANAGER
FROM: JOHN R. McCARTHY, DIRECTOR OF PUBLIC WORKS
SUBJECT: REQUEST FOR REIMBURSEMENT FOR
OVERSIZING A SEWER MAIN
DATE: JANUARY 5, 1999



Needs: That the City Council consider adopting the attached resolution to reimburse a developer to oversize a sewer main.

- Facts:**
1. PR 97-167 was approved by the Planning Commission on December 9, 1997.
 2. In order to serve the parcels with gravity sewer, the developer needed to connect to an existing manhole at Golden Hill Road and Highway 46 and install 1187 feet of pipeline.
 3. The City's Adopted Sewer Master Plan shows that a 15-inch diameter sewer main is required in order to serve other upstream properties.
 4. The City's Sewer Ordinance allows for the reimbursement of the oversizing of a sewer main above an 8-inch diameter pipe.

Analysis and

Conclusion: The developer has submitted attached documentation which establishes the cost of the oversizing. He is asking that the City reimburse him in the amount of \$24,030.00.

Policy

Reference: Resolution No. 97-058
Section 14.07.070E(8) of the Municipal Code

Fiscal

Impact: Reimbursement to be obtained from unappropriated funds.

- Options:**
- A. That the City Council adopt the attached resolution, authorizing staff to submit payment of \$24,030.00 to the developer of PR 97-167.
 - B. That the City Council amend, modify or reject the above options.

Attachments: (2)
1) Resolution
2) Documentation of Costs

RESOLUTION No. 98-

**A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF PASO ROBLES
AUTHORIZING A REIMBURSEMENT FOR THE COST OF OVERSIZING SEWER
MAINS AS PART OF THE IMPROVEMENTS FOR PR 97-167**

WHEREAS, on December 9, 1997, the Planning Commission adopted Resolution No. 97-058 which granted approval to subdivide an approximate 7-acre parcel into four industrial/commercial lots; and

WHEREAS, in order to serve the future lots with City sewer, the developer needed to install 1187 lineal feet of sewer main; and

WHEREAS, the City's adopted Sewer Master Plan has indicated that a 15-inch sewer main is required to serve PR 97-167, as well as other upstream properties within this sewer service area; and

WHEREAS, Section 14.07.070E(8) of the Municipal Code allows the City to reimburse for the cost of construction in excess of an 8-inch sewer line; and

WHEREAS; the developer has submitted documentation of his cost for the oversizing; and

WHEREAS, the developer is requesting a reimbursement of \$24,030.00.

THEREFORE, BE IT RESOLVED AS FOLLOWS:

Section 1. That the City Council of the City of Paso Robles does hereby give approval for the reimbursement of \$24,030.00 to the developer to be obtained from unappropriated Sewer Enterprise Fund to budget account No. 601.310.5452.163.

PASSED AND ADOPTED by the City Council of the City of Paso Robles, this 5th day of **January**, 1999, on the following vote:

AYES:

NOES:

ABSENT:







ABSTAIN:

Duane Picanco, Mayor


ATTEST:

Madelyn Paasch, City Clerk


LEGEND

-  PLANNING IMPACT AREA (PIA)(2110)
-  FUTURE FORCE MAIN
-  FUTURE TRUNK LINE
-  EXIST LINE W/SECTION TO BE REPLACED
-  EXIST LINE W/NEW PARALLEL LINE
-  EXISTING FORCE MAIN
-  EXISTING LINE
-  LS_A  FUTURE LIFT STATION
-  LS_2  EXISTING LIFT STATION
-  EXISTING TREATMENT PLANT

SCALE: 1" = 4000'



**PORTION OF
15-INCH DIAMETER SEWERLINE
INSTALLED BY THE DEVELOPER
OF PR 97-167**




**FROM THE CITY'S ADOPTED
SEWER MASTER PLAN**

15-3

PARCEL MAP PR 97-167

BEING A SUBDIVISION OF:
A PORTION OF LOTS 3 AND 6 OF PROSPECT HEIGHTS
As Recorded in Book 3 of Maps, at Page 19
IN THE CITY OF EL PASO DE ROBLES
SAN LUIS OBISPO COUNTY, STATE OF CALIFORNIA



AVE SPURR EXCAVATING, INC.
 P.O. Box 1920
 PASO ROBLES, CA 93447

invoice

(805) 238-0834
 Lic. #708343

INVOICE NO. 98001980

INVOICE DATE 10/02/98

OLD TO: City of Paso Robles
 Attn: Public Works
 Paso Robles, CA

N- we are going to Bull City?

REFERENCE	DESCRIPTION	AMOUNT
1)	Upgrade of Sewer Main from 8" to 15" from Golden Hill Rd. to Union Rd.	\$21,530.00
2)	Core existing manhole in Golden Hill Rd. from 8" to 15"	\$2,500.00
		\$24,030.00

Contractors are required by law to be licensed and regulated by the Contractors' State License Board. Any questions concerning a contractor referred to the registrar of the board whose address is: Contractors' State License Board, Mailing Address: P.O. Box 26000, Sacramento, CA 95826.