RESOLUTION NO. 535

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF EL PASO DE ROBLES DECLARING THEIR IN-TENTION TO ESTABLISH THE CURB LINES AND TO CHANGE AND ESTABLISH THE GRADE OF A PORTION OF SPRING STREET IN THE CITY OF EL PASO DE ROBLES

BE IT RESOLVED by the De City: Counciles of the City of El Paso de Robles, State of California:

SECTION 1. That it is the intention of the City Counciles of the City of El Paso de Robles to establish the curb line of Spring Street in said City from the Northerly line of First Street to the Southerly line of Ninth Street, as follows:

That the curb line on the easterly and westerly sides of Spring Street, from the northerly line of First Street to the southerly line of Ninth Street, be and the same are hereby fixed fourteen feet distant and parallel to the respective adjacent property line of said Spring Street.

SECTION 2. That it is the intention of the City/Counciles of the City of El Paso de Robles to change and establish the grade of Spring Street in said City from the northerly line of First Street to the southerly line of Ninth Street, as follows:

At the intersection with First Street, the grade shall be 762.2 feet at the northwest and northeast corners.

At a point on the westerly side 140 feet north of the north line of First Street, the grade shall be 763.8 feet, and 763.6 feet on the easterly side opposite thereto.

At the intersection of Second Street, the grade shall be 764.8 feet at the southwest corner, and 764.4 feet on the east side opposite thereto. At the

(1)

northwest corner the grade shall be 765.1 feet, and 764.6 feet on the east side opposite thereto.

At a point on the west side 80 feet north of the north line of Second Street, the grade shall be 764.9 feet, and 765.0 feet on the east side opposite thereto.

At a point on the west side 130 feet north of the north line of Second Street, the grade shall be 764.8 feet and 764.8 feet on the east side opposite thereto.

At a point on the west side 180 feet north of the north line of Second Street, the grade shall be 764.4 feet, and 764.4 feet on the east side opposite thereto.

At a point on the west side 230 feet north of the north line of Second Street, the grade shall be 763.5 feet, and 763.5 feet on the east side opposite thereto.

At the intersection of Third Street, the grade shall be 761.3 feet at the southwest corner and 761.5 feet on the east side opposite thereto. At the northwest corner, the grade shall be 759.0 feet, and 759.2 feet on the east side opposite thereto.

At a point on the west side 120 feet north of the north line of Third Street, the grade shall be 753.5 feet, and 753.5 feet on the east side opposite thereto.

At the intersection with Fourth Street, the grade shall be 744.0 feet at the southwest and southeast corners, and 741.4 feet at the northwest and northeast corners.

At a point on the westerly side 50 feet north from the north line of Fourth Street, the grade shall be 739.8 feet and 739.5 feet on the east side opposite thereto.

(2)

At a point on the west side 100 feet north from the north line of Fourth Street, the grade shall be 738.7 feet, and 738.3 feet on the east side opposite thereto.

At a point on the west side 150 feet north from the north line of Fourth Street, the grade shall be 738.3 feet, and 737.8 feet on the east side opposite thereto.

At the intersection with Fifth Street, the grade shall be 738.0 feet at the southwest corner, and 737.5 feet on the east side opposite thereto. At the northwest corner, the grade shall be 738.2 feet, and 737.5 feet on the east side opposite thereto.

At the intersection with Sixth Street, the grade shall be 739.7 feet at the southwest and southeast corners, and 740.0 feet at the northwest and northeast corners.

At the intersection with Seventh Street, the grade shall be 740.8 feet at the southwest and northwest corners, and 740.6 feet at the southeast and northeast corners.

At the intersection with Eighth Street, the grade shall be 740.0 feet at the southwest and southeast corners, and 740.5 feet at the northwest and northeast corners.

At the intersection with Ninth Street, the grade shall be 741.5 feet at the southwest corner and 741.0 feet at the southeast corner.

And at all points between said designated points, the grade shall be established so as to conform to a straight line drawn between said designated points.

Elevations herein given are in feet and hundredths of a foot above City Datum Plane, thereto established, and refer to the top of the curb on each

(3)

side of the street.

Any corner hereinbefore refered to relates to a point where a line drawn perpendicularly to the boundary line of said Spring Street from the intersection of said boundary with the boundary line of any intersecting street intersects the curb line of said Spring Street.

SECTION 3. The proceedings for aforesaid change of grade shall be taken under the "Change of Grade Act of 1909", and the Superintendent of Streets shall cause notice of the passage of this resolution to be posted in the manner provided by law, and said Superintendent of Streets shall also cause a notice similar in substance to be published by two (2) insertions in the "Paso Robles Press Advertiser", a semi-weekly news paper published and circulated in said City, and hereby designated for that purpose.

ADOPTED AND PASSED this 2nd day of

_____, 1949.

ATTEST:

CITY CLERK

STATE OF CALIFORNIA COUNTY OF SAN LUIS OBISPO CITY OF EL PASO DE ROBLES

SS.

AYES: Councilmen Bryant, Franscioni, Smart and Thurlby, NOES: Councilmen None ABSENT: Councilmen Turner Dated this 2nd day of May 19 49

City Clerk and Ex-Officio Clerk of the City Council,

City of El Paso de Robles, State of California.