## RESOLUTION NO.: <u>03-073</u>

# A RESOLUTION OF THE PLANNING COMMISSION OF THE CITY OF EL PASO DE ROBLES APPROVING TENTATIVE PARCEL MAP PR 03-154 (HANEY) ASSESSOR PARCEL NO. 009-411-038

WHEREAS, Parcel Map PR 03-154, an application filed by Toby Osgood with EMK & Associates on behalf of the property owners Ellis J. Haney, III and Jean Blohm Haney, to divide an approximate 43,560 square foot single-family residential site into two (2) individual parcels;

WHEREAS, the subject site is located at 515 Creston Road (Assessor Parcel No. 009-411-038) on the north side of the road between Shannon Hill Drive and Elm Court;

WHEREAS, it is designated by the General Plan as Residential Single Family (RSF) and is zoned R1 (Residential Single-Family);

WHEREAS, there is an existing single-family residence located on the site;

WHEREAS, the proposal is to create two lots of approximately 27,098 and 11,911 square feet, respectively which is consistent with the 10,000 square foot minimum lot size for sites with less than 10% slope;

WHEREAS, Section 21.16I.040 of the Zoning Ordinance requires Development Review Committee (DRC) of a conceptual site plan before Planning Commission consideration of grating approval to the tentative parcel map;

WHEREAS, at its October 13, 2003 meeting, the DRC reviewed the tentative parcel map and conceptual site plan, and recommended approval to the Planning Commission;

WHEREAS, the proposed parcel map and conceptual site plan are categorically exempt from review per Section 15332 of the State Guidelines for the California Environmental Quality Act;

WHEREAS, the Planning Commission conducted a public hearing on October 14, 2003 on the tentative parcel map and conceptual site plan to consider the facts presented in the staff report and to accept public testimony; and

WHEREAS, based upon the facts and analysis presented in the staff report, the public testimony received and subject to the standard and site specific conditions of approval listed in this Resolution, the Planning Commission made the following findings in support of tentative parcel map approval as per Government Code Sections 66474 and 65457:

- 1. The proposed tentative parcel map is consistent with the City's General Plan.
- 2. The design of lots, streets, open space, drainage, sewers, water and other improvements is consistent with the General Plan, the Zoning Ordinance, and the Municipal Code.
- 3. The proposal will contribute to the implementation of General Plan Policy RES-8:C by providing for diversity in the types of housing products available in the City.

- 4. The site is physically suitable for the type of development proposed.
- 5. The site is physically suitable for the proposed density of development.
- 6. The design of the land division is not likely to cause substantial environmental damage or substantially and unavoidably injure fish or wildlife or their habitat.
- 7. The design of the land division and types of improvements proposed are not likely to cause serious public health problems.
- 8. The design of the land division and the type of improvements proposed will not conflict with easements acquired by the public at large, for access through or use of, property within the proposed subdivision.

NOW, THEREFORE, BE IT RESOLVED, that the Planning Commission of the City of El Paso de Robles, does hereby approve Tentative Parcel Map PR 03-154, subject to the following conditions of approval:

### STANDARD CONDITIONS OF APPROVAL:

1. The applicant/developer shall comply with those standard conditions which are indicated as applicable in "Exhibit A" to this resolution.

### SITE SPECIFIC CONDITIONS OF APPROVAL:

NOTE: In the event of conflict or duplication between standard and site specific conditions, the site specific condition shall supersede the standard condition.

# COMMUNITY DEVELOPMENT

2. The project shall be constructed so as to substantially conform to the following listed exhibit and conditions established by this Resolution:

EXHIBIT	DESCRIPTION	
A	Standard Development Conditions	
В	Tentative Parcel Map PR 03-154	

- 3. At the time of development of Parcel 1, the existing overhead utilities located adjacent to the site shall be undergrounded.
- 4. Prior to issuance of a building permit for Parcel 1, site plans, landscaping plans, elevations and a colors & materials shall be submitted for Development Committee Review and approval per Chapter 21.16I of the City's Municipal Code.
- 5. In accordance with the Zoning Code density limitations, the maximum development is one (1) residential unit per parcel.
- 6. Pursuant to submittal requirements and Standard Condition B-1 of Attachment A, prior to occupancy the applicant shall provide on a 3.5 inch disk or IBM-compatible CD a copy of all signed and stamped approved plans, exhibits, resolutions, and all submittal

materials and other documentation pertaining to approval of this application for electronic archiving. The applicant may elect to have the City send out the documents for scanning at the applicant's expense.

- 7. The final map for this tentative parcel map shall include access restrictions along the frontage of each lot with the exception of the area of the existing driveway.
- 8. Prior to the issuance of a grading permit for Parcel 1, precise plans addressing building architecture, colors and materials, walls/fences, and grading shall be submitted to the Development Review Committee for review and approval.

#### ENGINEERING SITE SPECIFIC CONDITIONS

- 9. Prior to recordation of the final map, the applicant shall deposit with the City funds in the amount of the estimated cost of construction of curb, gutter, sidewalk and half width paving in accordance with the Creston Road plan line along the frontage of the property.
- 10. Prior to recordation of the final map, the applicant shall construct a fire hydrant on Creston Road at the west boundary of the property.

PASSED AND ADOPTED THIS 14<sup>th</sup> day of October 2003 by the following Roll Call Vote:

AYES:	Ferravanti, Flynn, Kemper, Steinbeck, and	d Johnson
NOES:	None	
ABSENT:	Calloway	
ABSTAIN:	Warnke	
		CHAIRMAN RON JOHNSON
ATTEST:		
ROBERT A. LATA, PLANNING COMMISSION SECRETARY		

TRYDER/CURRENT PLANNING PROJECTS/HANEY RESOLUTION

# **EXHIBIT A OF RESOLUTION 03-073**

# CITY OF EL PASO DE ROBLES STANDARD DEVELOPMENT CONDITIONS FOR SINGLE FAMILY RESIDENTIAL TRACT AND PARCEL MAPS

PRO.	JECT #:		Tentative Parcel Map PR 03-154
APPI	ROVINO	G BODY:	Planning Commission
DAT	E OF A	PPROVAL:	October 14, 2003
APPI	LICANT	Γ:	EMK & Associates
LOC	ATION:		515 Creston Road
The c	checked co	onditions shall be	we been checked are standard conditions of approval for the above referenced project. complied with in their entirety before the project can be finalized, unless otherwise on, there may be site specific conditions of approval that apply to this project in the
			NT DEPARTMENT - The applicant shall contact the Planning Division, (805) he following conditions:
Α.	GENER	RAL CONDITIONS	
$\boxtimes$	1.		proval shall expire on October 14, 2005, unless a time extension request is filed with a Development Department prior to expiration.
$\boxtimes$	2.	The site shall be developed and maintained in accordance with the approved plans and unless specifically provided for through the Planned Development process, development shall comply with the Zoning Code, all other applicable City Ordinances, and applicable Specific Plans.	
$\boxtimes$	3.		ation of the map, all conditions of approval shall be completed to the satisfaction of eer and Community Developer Director or his designee.
	4.	applicant subm Obispo". The of project appr	subject to the California Environmental Quality Act (CEQA), which requires the it a \$25.00 filing fee for the Notice of Determination payable to "County of San Luis fee should be submitted to the Community Development Department within 24 hours oval, which is then forwarded to the San Luis Obispo County Clerk. Please note that to be subject to court challenge unless the required fee is paid.
	5.	harmless the Obrought within City, or its age subdivision.	with Government Section 66474.9, the subdivider shall defend, indemnify and hold City, or its agent, officers and employees, from any claim, action or proceeding the time period provided for in Government Code section 66499.37, against the nts, officers, or employees, to attack, set aside, void, annul the City's approval of this The City will promptly notify subdivider of any such claim or action and will in the defense thereof.
	6.	-	be subject to review and approval as required by Municipal Code Section 21.19 and separate application and approval prior to installation of any sign.

	7.	All existing and/or new lighting shall be shielded so as to be directed downward in such a manner as to not create off-site glare or adversely impact adjacent properties. The style, location and height of the lighting fixtures shall be submitted with the building plans and subject to approval by the Community Development Department.
$\boxtimes$	8.	All existing and/or new landscaping shall be installed with automatic irrigation systems.
	9.	All walls/fences and exposed retaining walls shall be constructed of decorative materials which include but are not limited to splitface block, slumpstone, stuccoed block, brick, wood, crib walls or other similar materials as determined by the Development Review Committee, but specifically excluding precision block.
	10.	The following areas shall be placed in a Landscape and Lighting District: NONE
	11.	The following areas shall be permanently maintained by the property owner, Homeowners' Association, or other means acceptable to the City:
	12.	The applicant shall install durable, decorative fence/wall treatments and landscaping along all arterial streets consisting of brick, tubular steel with pilasters, or other similar materials as determined by the Development Review Committee, but specifically excluding precision block and wood fences. Substantial setbacks with landscaping may be considered as an alternative, subject to approval by the Development Review Committee.
	13.	The applicant shall provide a one-foot non-access easement along the rear/side of all lots that back up/side against a collector or arterial street.
В.		OLLOWING CONDITIONS SHALL BE COMPLETED PRIOR TO THE ISSUANCE OF ING PERMITS OR RECORDATION OF THE FINAL MAP, WHICHEVER OCCURS
	1.	Two sets of the revised Planning Commission approved plans incorporating all Conditions of Approval, standard and site specific, shall be submitted to the Community Development Department.
	2.	Prior to the issuance of building permits, the  ☐ Development Review Committee shall approve the following: ☐ Planning Division Staff shall approve the following: ☐ a. Detailed grading and site development plans, including landscaping and fencing/walls; ☐ b. Other: Exterior Lighting Cut Sheets
	3.	The Covenants, Conditions, and Restrictions (CC&Rs) and/or Articles Affecting Real Property Interests are subject to the review and approval of the Community Development Department, the Public Works Department and/or the City Attorney. They shall be recorded concurrently with the Final Map or prior to the issuance of building permits, whichever occurs first. A recorded copy shall be provided to the affected City Departments.
	4.	The applicant shall agree, in a manner acceptable to the City Attorney, to pay impact mitigation fees as may be established through a resolution or ordinance adopted by the City Council, in effect at the time building permits are issued.
	5.	In order for this tract/parcel map to be in conformance with the General Plan, the lots/parcels of the tract/parcel map shall be annexed into a Community Facilities District (CFD) that serves to mitigate

completed, the applicant shall record on all lots/parcels, a waiver of future protest to the formation of a CFD joint City-School District CFD of a CFD created by the School Districts that the City Council has approved. This condition shall not be imposed if the developer executes a development agreement with the District to mitigate school impacts. 6. Street names shall be submitted for review and approval by the Planning Commission, prior to approval of the final map. 7. The developer shall provide constructive notice to all buyers that all homes are required to utilize semi-automated trash containers as provided by the City's franchisee for solid waste collection. 8. The developer shall provide constructive notice to future buyers that all residential units shall be required to be equipped with trash compactors. 9. The applicant shall meet with the City's Crime Prevention Officer prior to the issuance of building permits for recommendations on security measures to be incorporated into the design of the structures to be constructed. The applicant is encouraged to contact the Police Department at (805) 237-6464 prior to plan check submittal. \* PUBLIC WORKS DEPARTMENT - The applicant shall contact the Engineering Division, (805) 237-3860, for compliance with the following conditions: APPLICANT: EMK & Associates PREPARED BY: John Falkenstien REPRESENTATIVE: Toby Osgood CHECKED BY: PROJECT: Tentative Parcel Map 03-112 TO PLANNING: Sept. 10, 2003 C. PRIOR TO ANY PLAN CHECK:  $\boxtimes$ 1. The applicant shall enter into an Engineering Plan Check and Inspection Services Agreement with the City. D. PRIOR TO RECORDING OF THE FINAL OR PARCEL MAP:  $\boxtimes$ The owner shall pay all Final Map fees, and current and outstanding fees for Engineering Plan 1. Check and Construction and Inspection services and any annexation fees due. 2. If, at the time of approval of the final/record parcel map, any required public improvements have not been completed and accepted by the City the owner shall be required to enter into a Subdivision Agreement with the City in accordance with the Subdivision Map Act, prior to recordation. The owner shall also be required to post securities to guarantee the installation and completion of said improvements as specified in the Subdivision Map Act and submit a Certificate of Insurance as required by the City. The owner shall also be required to post securities for grading in accordance with Section 7008 of the Uniform Building Code, latest edition. This bond shall be of sufficient amount to ensure completion of the grading and drainage facilities. (A finding of "orderly development" has been made for this condition on parcel maps). Bonds required and the amount shall be as follows:

impacts to public schools. Said CFD shall either be a joint City-School District CFD or a CFD created by the School District that the City Council has approved. If at the time that the final map is submitted for approval, proceedings to annex the tract/parcel map into a CFD have not been

Performance Bond.......100% of improvement costs. Labor and Materials Bond......50% of performance bond.

	3.	The developer shall annex to the City's Landscape and Lighting District for payment of the operating and maintenance costs of the following:  \[ \subseteq a. \] Street lights; \[ \subseteq b. \] Parkway and open space landscaping; \[ \subseteq c. \] Wall maintenance in conjunction with landscaping; \[ \subseteq d. \] Graffiti abatement; \[ \subseteq e. \] Maintenance of open space areas.	
	4.	The owner shall offer to dedicate to the City a 6 foot public utilities and 6 foot tree easement adjacent to all road right-of-ways. The owner shall offer to dedicate to the City the following easement(s). The location and alignment of the easement(s) shall be to the description and satisfaction of the City Engineer:    \[ \sum_a \]   Public Utilities Easement;   \sum_b \]   Water Line Easement;   \sum_c \]   C. Sewer Facilities Easement;   \sum_d \]   Landscape Easement;   \sum_e \]   E. Storm Drain Easement.	
$\boxtimes$	5.	The subdivider shall offer to dedicate and improve the following street(s) to the standard indicated:	
		Street Name City Standard Standard Drawing No. Creston Road A-1 (Arterial [Divided]) As further provided for in Site Specific Condition No. 9	
$\boxtimes$	6.	Landscape and irrigation plans for the public right-of-way shall be incorporated into the improvement plans and shall require a signature of approval by the Department of Public Works, Street Superintendent and the Community Development Department.	
$\boxtimes$	7.	All improvement plans shall be prepared by a registered civil engineer and shall be submitted to the City Engineer for review and approval. The improvements shall be designed and placed to Public Works Department Standards and Specifications.	
	8.	Prior to any site work a Preliminary Soils Report shall be prepared for the property to determine the presence of expansive soils or other soils problems and shall make recommendations regarding grading of the proposed site.	
	9.	The applicant shall submit a composite utility plan signed as approved by a representative of each public utility, together with the improvement plans. The composite utility plan shall also be signed by the Water, Fire, Wastewater and Street Division Managers.	
	10.	A complete grading and drainage plan prepared by a registered civil engineer shall be included with the improvement plans. Drainage calculations shall be submitted, with provisions made for on-site detention/ retention if adequate disposal facilities are not available, as determined by the City Engineer.	
	11.	The owner shall provide an additional map sheet to record concurrently with the final map or parcel map showing the lot configuration, and the area subject to inundation by the 100 year storm with base flood elevations shown in feet, in relation to the National Geodetic Vertical Datum of 1929.	
	12.	The owner shall install all utilities (sewer, water, gas, electricity, cable TV, and telephone) underground to each lot in the subdivision. Street lights shall be installed at locations as required by the City Engineer. All existing overhead utilities adjacent to or within the project shall be relocated underground, except for electrical lines 77 kilovolts or greater. All utilities shall be extended to the boundaries of the project, unless it is determined that no need for future extension exists. All underground construction shall be completed and approved by the City and the public utility companies, and the subgrade shall be scarified and compacted, before paving the streets.	

	13.	Any utility trenching in existing streets shall be overlaid to restore a smooth riding surface as required by the City Engineer. Boring and jacking rather than trenching may be required on newly constructed or heavily traveled City Streets.
	14.	Prior to paving any street, the water and sewer systems shall successfully pass a City pressure test. The sewer system shall also be tested by a means of a mandrel and video inspection with a copy of the video tape provided to the City. No paving shall occur until the City has reviewed and viewed the sewer video tape and has determined that the sewerline is acceptable. Any repair costs to the pipeline including trench paving restoration shall be at the developer's expense.
	15.	The owner shall install all street name, traffic signs and traffic striping as directed by the City Engineer.
	16.	The adjoining existing City street is inadequate for the traffic generated by the project, or will be severely damaged by the construction. The applicant shall remove the entire roadway and replace it with a minimum full half-width street plus a 12' wide travel lane and 8' wide base shoulder adequate to provide for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition.)
	17.	The development includes a phased street construction along the project boundary for future completion by the adjacent property owner, the applicant shall provide a minimum half-width street plus a 12' travel lane and 4' wide base shoulder adequate for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition.)
□ <b>E.</b>	18. PRIOR	The project fronts on an existing street. The applicant shall pave-out from the proposed gutter to the edge of pavement if the existing pavement section is adequate, and shall feather the new paving out to the centerline for a smooth transition. If the existing pavement, structural sections or geometrics are inadequate per current City Standards, the roadway shall be replaced to centerline and the remaining pavement shall be overlaid. (A finding of "rough proportionality" has been made in the resolution for this condition.)  A TO ANY SITE WORK:
$\boxtimes$	1.	The applicant shall obtain a Grading Permit from the City Building Division.
	2.	Prior to issuance of a Grading Permit the developer shall apply, through the City, to FEMA and receive a Letter of Map Amendment (LOMA) issued from FEMA. The developer's engineer shall provide the required supporting data to justify the application.
	3.	Any existing Oak trees located on the project site shall be protected and preserved as required in City Ordinance No. 553, Municipal Code No. 10.01 "Oak Tree Preservation", unless specifically approved to be removed. An Oak tree inventory shall be prepared listing the Oak trees, their disposition, and the proposed location of any replacement trees required. In the event an Oak tree is designated for removal, an approved Oak Tree Removal Permit must be obtained from the City, prior to its removal.
$\boxtimes$	4.	All property corners shall be staked for construction control, and shall be promptly replaced if destroyed.
$\boxtimes$	5.	Any grading anticipated during the rainy season (October 15 to April 15) will require the approval
		of a construction zone drainage and erosion control plan to prevent damage to adjacent property. Appropriateness of areas shall be subject to City Engineer approval.

PRIOR TO ISSUANCE OF A BUILDING PERMIT:

F.

	1.	A final soils report shall be submitted to the City prior to the final inspection and shall certify that all grading was inspected and approved, and that all work has been done in accordance with the plans, preliminary report, and Chapter 70 of the Uniform Building Code.	
$\boxtimes$	2.	The applicant's civil and soils engineer shall submit a certification that the rough grading work has been completed in substantial conformance to the approved plans and permit.	
	3.	Building permits shall not be issued until the water system has been completed and approved, and a based access road installed sufficient to support the City's fire trucks, in a manner approved by the Fire Chief.	
	4.	Prior to issuance of a Building Permit for building within Flood Insurance Rate Map (FIRM) zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide an Elevation Certificate in accordance with the National Flood Insurance program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.	
	5.	Prior to issuance of a Building Permit for building within Flood Insurance Rate Map (FIRM) zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide a Flood Proofing Certificate in accordance with the National Flood Insurance program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.	
G.	PRIOR	OR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY:	
$\boxtimes$	1.	All final property corners and street monuments shall be installed before acceptance of the public improvements.	
	2.	No buildings shall be occupied until all public improvements are completed and approved by the City Engineer, and accepted by the City Council for maintenance.	
	3.	All disturbed areas not slated for development shall be protected against erosion in a manner acceptable to the City Engineer which may include hydroseeding or landscaping.	
	4.	The applicant shall pay any current and outstanding fees for Engineering Plan Checking and Construction Inspection Services and any outstanding annexation fees.	
	5.	All top soil removed shall be stockpiled and evenly distributed over the slopes and lots upon completion of rough grading to support hydroseeding and landscaping. All slope areas shall be protected against erosion by hydroseeding or landscaping.	
	6.	All construction refuse shall be separated (i.e. concrete, asphalt concrete, wood, gypsum board, etc.) and removed from the project to a recycling facility in accordance with the City's Source Reduction and Recycling Element.	
	7.	If any of the public improvements or conditions of approval are not completed or met, then the subdivider may, at the discretion of the City Engineer, enter into a Performance Agreement with the City to complete said improvements at a later date and post securities to cover the cost of the improvements. The form of the agreement and amount of the securities are subject to the approval of the City Engineer.	
	8.	A blackline clear Mylar (0.4 MIL) copy and two (2) blueline prints of as-built improvement plans, signed by the engineer of record, shall be provided to the City Engineer prior to the final inspection. A reduced copy (i.e. $1'' = 100'$ ) of the composite utility plan shall be provided to update the City's Atlas Map.	
	9.	A benchmark shall be placed for vertical control on the U.S.G.S. Datum as required by the City Engineer.	

\*\*\*\* PASO ROBLES FIRE DEPARTMENT - The applicant shall contact the Fire Department, (805) 237-3973 for compliance with the following conditions: H. GENERAL CONDITIONS 1. Fire hydrants shall be installed at intervals as required by the Fire Chief and City Engineer. The maximum spacing for single family residential shall be 500 feet. The maximum spacing for multifamily and commercial/residential shall be 300 feet. On-site hydrants shall be placed as required by the Fire Chief. 2. Building permits shall not be issued until the water system, including hydrants, has been tested and accepted and a based access road installed sufficient to support the City's fire apparatus (HS-20 truck loading). The access road shall be kept clear to a minimum of 24 feet at all times and shall be extended to each lot and shall be maintained to provide all weather driving conditions. 3. No buildings shall be occupied until all improvements are completed and accepted by the City for maintenance. 4. If the development includes phased street construction, temporary turn-arounds shall be provided for streets that exceed 150 feet in length. The temporary turn around shall meet City requirements as set forth in the Public Works Department Standards and Specifications. 5. All open space areas to be dedicated to the City shall be inspected by the Fire Department prior to acceptance. A report shall be submitted recommending action needed for debris, brush and weed removal and tree trimming. The developer shall clean out all debris, dead limbs and trash from areas to be recorded as open space prior to acceptance into a Benefit Maintenance District. Any open space included in a private development shall be subject to the approval of a vegetation 6. management plan approved by the Fire Chief. 7. Each tract or phase shall provide two sources of water and two points of access unless otherwise determined by the Fire Chief and Public Works Director.

Provisions shall be made to update the Fire Department Run Book.

8.