# RESOLUTION NO.: <u>04-067</u> A RESOLUTION OF THE PLANNING COMMISSION OF THE CITY OF EL PASO DE ROBLES TO GRANT TENTATIVE MAP APPROVAL FOR PR 03-0338 (FRANCIK / MARSHALL)

APN: 009-750-007

WHEREAS, Tentative Parcel Map PR 03-0338 has been filed by North Coast Engineering on behalf of Ken Francik and Jim Marshall, a proposal to subdivide an approximate 2.3 acre site into four lots for three new single family dwelling and one existing single family dwelling at 2330 Ashwood Place; and

WHEREAS, this parcel is located within a planned development (PD) zoning overlay district and this application is located within the geographic area covered by a master development PD 91002 / 91003, and

WHEREAS, subdivision of this property requires an amendment to Planned Development PD 91002 / 91003; and

WHEREAS, the amendment to the planned development that is filed in conjunction with this tentative map is requesting a reduction to the required minimum lot widths; and

WHEREAS, a public hearing was held by the Planning Commission on May 11, 2004 to consider the proposed project, at which time no decision was made and the hearing was continued to the June 8, 2004 Planning Commission meeting; and

WHEREAS, an Initial Study was prepared for this project and a Negative Declaration in accordance with the California Environmental Quality Act (CEQA) was considered in the decision making process by the Planning Commission and subsequently approved by the Planning Commission on June 8, 2004, and

WHEREAS, a public hearing was conducted by the Planning Commission on June 8, 2004, to consider facts as presented in the staff report prepared for this project, and to accept public testimony regarding this proposed subdivision and master plan amendment; and,

WHEREAS, based upon the facts and analysis presented in the staff report, public testimony received and subject to the conditions of approval listed below, the Planning Commission

makes the following findings as required by Government Code Section 66474:

- 1. As conditioned, the proposed tentative subdivision map is consistent with the adopted General Plan for the City of El Paso de Robles; and
- 2. As conditioned, the design of lots, streets, open space, drainage, sewers, water and other improvements is consistent with the General Plan and Zoning Ordinance; and
- 3. The site is physically suitable for the type of development proposed; and
- 4. The site is physically suitable for the proposed density of development; and
- 5. The design of the subdivision is not likely to cause substantial environmental damage or substantially and unavoidably injure fish or wildlife or their habitat; and
- 6. The design of the subdivision and types of improvements proposed are not likely to cause serious public health problems; and
- 7. The design of the subdivision and the type of improvements proposed will not conflict with easements acquired by the public at large, for access through or use of, property within the proposed subdivision; and
- 8. The completion of Site Specific Conditions 9, 10, 11, 12 and 13 prior to recordation of the final map is a necessary prerequisite to the orderly development of the surrounding area.

NOW, THEREFORE, BE IT RESOLVED, that the Planning Commission of the City of El Paso de Robles does hereby grant tentative map approval to PR 03-0338 subject to the following conditions of this resolution:

### **STANDARD CONDITIONS:**

1. The applicant/developer shall comply with those standard conditions which are indicated as applicable in "Exhibit A" to this resolution. Note: All checked standard conditions shall apply unless superseded by a site specific condition.

### **COMMUNITY DEVELOPMENT SITE SPECIFIC CONDITIONS:**

NOTE: In the event of conflict or duplication between standard and site specific conditions, the site specific condition shall supersede the standard condition.

2. The project shall be constructed so as to substantially conform with the following listed exhibits and conditions established by this resolution:

EXHIBIT	DESCRIPTION		
В	Tentative Tract Map		
C	Grading Plan		

- 3. This Tentative Parcel Map PR 03-0338 and Planned Development Amendment authorizes the subdivision of approximately 2.3 acres into 4 single family residential lots ranging in size from 20,000 square feet to 30,000 square feet.
- 4. The Final Subdivision Map shall be in substantial compliance with the tentative subdivision map and preliminary grading plan prepared for the project. (Exhibits B-C reductions attached; full size copies are on file in the Community Development Department).
- 5. Permits for future single family dwellings shall be reviewed and approved by the Development Review Committee (DRC). The DRC shall review proposed elevations, colors, materials, landscaping and fencing.
- 6. No oak trees shall be removed for construction of future homes. Future construction shall be limited to the building envelopes shown on the preliminary grading and drainage plan exhibit (Exhibit C).
- 7. The crossing of the creek for access to Parcel D shall be consistent with the creek crossing shown on the Tentative Parcel Map. Installation of a culvert will not acceptable. The applicant shall be responsible for receiving any applicable permits from the Army Corp of Engineers, the Department of Fish and Game and/or the U.S. Fish and Wildlife Service.

### **ENGINEERING SITE SPECIFIC CONDITIONS**

The Planning Commission must make a finding that the fulfillment of the construction requirements outlined in Condition Nos. 9, 10, 11, 12, and 13, are necessary prerequisites to the orderly development of the surrounding area.

- 8. The final Parcel Map shall include the 25-foot offer of dedication of public right-of-way from centerline of Ashwood Place recorded in Book 29 of Parcel Maps, Page 94 and an additional 10-foot public utilities easement along the frontage of the subject property.
- 9. Prior to recordation of the final parcel map, street improvements shall be constructed along Ashwood Place in accordance with City Local Rural Street Standard A-7 with

- the exception that concrete curb and gutter be placed in lieu of the asphalt dike indicated on the tentative parcel map. Concrete driveway approaches shall be constructed in accordance with City Standard B-12.
- 10. Prior to recordation of the final map, the subdivider shall install street lights on Ashwood Place in accordance with City Standard U-3, as required by the City Engineer.
- 11. Prior to recordation of the final map, the subdivider shall extend an 8-inch water main in Ashwood Place across the frontage of the property and to connect to existing 8-inch lines both east and west of the subject property. The applicant shall place a fire hydrant on the north side of Ashwood Place at the driveway entrance to Parcels 1 and 2.
- 12. Prior to recordation of the final map, sewer and water services shall be extended beyond the Ashwood Place street improvements to the frontage of the new parcels and to the access and utility easement to Parcels 1 and 2.
- 13. Prior to recordation of the final parcel map, the existing overhead utility lines located adjacent to the north boundary of the property shall be relocated underground within the existing public utility easement.
- 14. Prior to recordation of the final map, the subdivider shall connect the existing house to City water and shall abandon the existing well in accordance with the standards and requirements of the County Health Department and the City Municipal Code.
- 15. Prior to the recordation of the final map, the subdivider shall connect the existing house to City sewer and shall abandon the existing septic tank and leach field in accordance with the standards and requirements of the County Health Department and the City Municipal Code.
- 16. Prior to occupancy of homes on parcels in this subdivision, sewer reimbursement connection fees must be paid for the Meadowlark and River Road sewers.
- 17. The area within the 100-year flood limits shall be dedicated to the City for maintenance by the Landscape and Lighting District.

### EMERGENCY SERVICES SITE SPECIFIC CONDITIONS

18. The creek crossing will be required to comply with Uniform Fire Code and Municipal Code requirements for bridges and construction shall be in compliance with Fire department access standards.

19. Emergency Services Run Book will need to be updated with the new lots, addresses and any new fire hydrants. Contact Emergency Services Fire Marshal Bob Adams at 237-3973 for information on this condition.

PASSED AND ADOPTED THIS 8<sup>th</sup> Day of June, 2004 by the following Roll Call Vote:

AYES: Steinbeck, Mattke, Kemper, Johnson, Ha	amon, Flynn, Ferravanti
NOES: None	
ABSENT: None	
ABSTAIN: None	
ATTEST:	CHAIRMAN TOM FLYNN
ROBERT A LATA PLANNING COMMISSION	N SECRETARY

### **EXHIBIT A OF RESOLUTION 04-068**

## CITY OF EL PASO DE ROBLES STANDARD DEVELOPMENT CONDITIONS FOR SINGLE FAMILY RESIDENTIAL TRACT AND PARCEL MAPS

PRO.	JECT #:_		Tentative Parcel Map PR 03-0338
APPI	ROVING	G BODY:	Planning Commission
DAT	E OF AF	PPROVAL:	June 8, 2004
APPI	LICANT	<u>:</u>	Marshall-Francik
LOC	ATION:		Ashwood Place
the a entire addit	bove ref ety befor	ferenced project of the project of	at have been checked are standard conditions of approval for ct. The checked conditions shall be complied with in their can be finalized, unless otherwise specifically indicated. In specific conditions of approval that apply to this project in the
			PMENT DEPARTMENT - The applicant shall contact the 7-3970, for compliance with the following conditions:
A.	GENI	ERAL COND	ITIONS
	1.		approval shall expire on June 8, 2006, unless a time extension led with the Community Development Department prior to
	2.	approved pla Development	all be developed and maintained in accordance with the ans and unless specifically provided for through the Planned t process, development shall comply with the Zoning Code, all ble City Ordinances, and applicable Specific Plans.
	3.	completed to	ordation of the map, all conditions of approval shall be the satisfaction of the City Engineer and Community irector or his designee.
	4.	(CEQA), wh Notice of De should be sub	is subject to the California Environmental Quality Act ich requires the applicant submit a \$25.00 filing fee for the termination payable to "County of San Luis Obispo". The fee omitted to the Community Development Department within 24 ect approval, which is then forwarded to the San Luis Obispo

		challenge unless the required fee is paid.
	5.	In accordance with Government Section 66474.9, the subdivider shall defend, indemnify and hold harmless the City, or its agent, officers and employees, from any claim, action or proceeding brought within the time period provided for in Government Code section 66499.37, against the City, or its agents, officers, or employees, to attack, set aside, void, annul the City's approval of this subdivision. The City will promptly notify subdivider of any such claim or action and will cooperate fully in the defense thereof.
	6.	All signs shall be subject to review and approval as required by Municipal Code Section 21.19 and shall require a separate application and approval prior to installation of any sign.
	7.	All existing and/or new lighting shall be shielded so as to be directed downward in such a manner as to not create off-site glare or adversely impact adjacent properties. The style, location and height of the lighting fixtures shall be submitted with the building plans and subject to approval by the Community Development Department.
	8.	All existing and/or new landscaping shall be installed with automatic irrigation systems.
	9.	All walls/fences and exposed retaining walls shall be constructed of decorative materials which include but are not limited to splitface block, slumpstone, stuccoed block, brick, wood, crib walls or other similar materials as determined by the Development Review Committee, but specifically excluding precision block.
$\boxtimes$	10.	The following areas shall be placed in a Landscape and Lighting District:
		All lots shall be included in the Landscape and Lighting District for maintenance of street lights and the area within the 100-year flood inundation area
	11.	The following areas shall be permanently maintained by the property owner, Homeowners' Association, or other means acceptable to the City:  N/A
	12.	The applicant shall install durable, decorative fence/wall treatments and landscaping along all arterial streets consisting of brick, tubular steel with pilasters, or other similar materials as determined by the Development

County Clerk. Please note that the project may be subject to court

Review Committee, but specifically excluding precision block and wood fences. Substantial setbacks with landscaping may be considered as an alternative, subject to approval by the Development Review Committee. 13. The applicant shall provide a one-foot non-access easement along the rear/side of all lots that back up/side against a collector or arterial street. В. THE FOLLOWING CONDITIONS SHALL BE COMPLETED PRIOR TO THE ISSUANCE OF BUILDING PERMITS OR RECORDATION OF THE FINAL MAP, WHICHEVER OCCURS FIRST:  $\boxtimes$ 1. Two sets of the revised Planning Commission approved plans incorporating all Conditions of Approval, standard and site specific, shall be submitted to the Community Development Department. 2. Prior to the issuance of building permits, the Development Review Committee shall approve the following: a. Site plans for new houses on each lot walls/fencing for each lot. Planning Division Staff shall approve the following: a. Detailed landscape plan including walls/fencing; b. Other: Exterior Lighting Cut Sheets The Covenants, Conditions, and Restrictions (CC&Rs) and/or Articles 3. Affecting Real Property Interests are subject to the review and approval of the Community Development Department, the Public Works Department and/or the City Attorney. They shall be recorded concurrently with the Final Map or prior to the issuance of building permits, whichever occurs first. A recorded copy shall be provided to the affected City Departments.  $\boxtimes$ The applicant shall agree, in a manner acceptable to the City Attorney, to 4. pay impact mitigation fees as may be established through a resolution or ordinance adopted by the City Council, in effect at the time building permits are issued. N/A 5. In order for this tract/parcel map to be in conformance with the General Plan, the lots/parcels of the tract/parcel map shall be annexed into a Community Facilities District (CFD) that serves to mitigate impacts to public schools. Said CFD shall either be a joint City-School District CFD or a CFD created by the School District that the City Council has approved. If at the time that the final map is submitted for approval, proceedings to annex the tract/parcel map into a CFD have not been completed, the applicant shall record on all lots/parcels, a waiver of future protest to the formation of a CFD joint City-School District CFD of a CFD created by the School Districts that the City Council has approved. This condition

	shall not be imposed if the developer executes a development agreement with the District to mitigate school impacts.
6.	Street names shall be submitted for review and approval by the Planning Commission, prior to approval of the final map.
7.	The developer shall provide constructive notice to all buyers that all homes are required to utilize semi-automated trash containers as provided by the City's franchisee for solid waste collection.
8.	The developer shall provide constructive notice to future buyers that all residential units shall be required to be equipped with trash compactors.
9.	The applicant shall meet with the City's Crime Prevention Officer prior to the issuance of building permits for recommendations on security measures to be incorporated into the design of the structures to be constructed. The applicant is encouraged to contact the Police Department at (805) 237-6464 prior to plan check submittal.

# PUBLIC WORKS DEPARTMENT - The applicant shall contact the Engineering Division, (805) 237-3860, for compliance with the following conditions:

APPLICANT: Jim Marshall / Ken Francik

PREPARED BY: John Falkenstien

REPRESENTATIVE: North Coast Engineering

CHECKED BY:

PROJECT: Tentative Parcel Map 03-0338

TO PLANNING: Jamie Kirk

### C. PRIOR TO ANY PLAN CHECK:

1. The applicant shall enter into an Engineering Plan Check and Inspection Services Agreement with the City.

### D. PRIOR TO RECORDING OF THE FINAL OR PARCEL MAP:

- 1. The owner shall pay all Final Map fees, and current and outstanding fees for Engineering Plan Check and Construction and Inspection services and any annexation fees due.
- 2. If, at the time of approval of the final/record parcel map, any required public improvements have not been completed and accepted by the City the owner shall be required to enter into a Subdivision Agreement with the City in accordance with the Subdivision Map Act, prior to recordation. The owner shall also be required to post securities to guarantee the installation and completion of said improvements as specified in the Subdivision Map Act and submit a Certificate of Insurance as required by the City. The owner shall also be required to post securities for grading in accordance with Section 7008 of the Uniform Building Code, latest edition. This bond shall be of sufficient amount to ensure completion of the grading and drainage facilities. (A finding of "orderly development" has been made for this condition on parcel maps).

Bonds required and the amount shall be as follows: Performance Bond......100% of improvement costs. Labor and Materials Bond......50% of performance bond.

	<ul> <li>□ c. Wall maintenance in conjunction with landscaping;</li> <li>□ d. Graffiti abatement;</li> <li>□ e. Maintenance of open space areas.</li> </ul>		
4.	The owner shall offer to dedicate to the City a 6 foot public utilities and 6 foot tree easement adjacent to all road right-of-ways. The owner shall offer to dedicate to the City the following easement(s). The location and alignment of the easement(s) shall be to the description and satisfaction of the City Engineer:		
5.	The subdivider shall offer to dedicate and improve the following street(s) to the standard indicated:		
	Ashwood Place Local Rural A-7 Street Name City Standard Standard Drawing No.		
6.	Landscape and irrigation plans for the public right-of-way shall be incorporated into the improvement plans and shall require a signature of approval by the Department of Public Works, Street Superintendent and the Community Development Department.		
7.	All improvement plans shall be prepared by a registered civil engineer and shall be submitted to the City Engineer for review and approval. The improvements shall be designed and placed to Public Works Department Standards and Specifications.		
8.	Prior to any site work a Preliminary Soils Report shall be prepared for the property to determine the presence of expansive soils or other soils problems and shall make recommendations regarding grading of the proposed site.		
9.	The applicant shall submit a composite utility plan signed as approved by a representative of each public utility, together with the improvement plans. The composite utility plan shall also be signed by the Water, Fire, Wastewater and Street Division Managers.		
10.	A complete grading and drainage plan prepared by a registered civil engineer shall be included with the improvement plans. Drainage calculations shall be submitted, with provisions made for on-site detention.		

the City Engineer.  $\boxtimes$ 11. The owner shall provide an additional map sheet to record concurrently with the final map or parcel map showing the lot configuration, and the area subject to inundation by the 100 year storm with base flood elevations shown in feet, in relation to the National Geodetic Vertical Datum of 1929.  $\boxtimes$ The owner shall install all utilities (sewer, water, gas, electricity, cable TV, 12. and telephone) underground to each lot in the subdivision. Street lights shall be installed at locations as required by the City Engineer. All existing overhead utilities adjacent to or within the project shall be relocated underground, except for electrical lines 77 kilovolts or greater. All utilities shall be extended to the boundaries of the project, unless it is determined that no need for future extension exists. All underground construction shall be completed and approved by the City and the public utility companies, and the subgrade shall be scarified and compacted, before paving the streets.  $\boxtimes$ 13. Any utility trenching in existing streets shall be overlaid to restore a smooth riding surface as required by the City Engineer. Boring and jacking rather than trenching may be required on newly constructed or heavily traveled City Streets.  $\boxtimes$ 14. Prior to paving any street, the water and sewer systems shall successfully pass a City pressure test. The sewer system shall also be tested by a means of a mandrel and video inspection with a copy of the video tape provided to the City. No paving shall occur until the City has reviewed and viewed the sewer video tape and has determined that the sewerline is acceptable. Any repair costs to the pipeline including trench paving restoration shall be at the developer's expense. 15. The owner shall install all street name, traffic signs and traffic striping as directed by the City Engineer. 16. The adjoining existing City street is inadequate for the traffic generated by the project, or will be severely damaged by the construction. The applicant shall remove the entire roadway and replace it with a minimum full halfwidth street plus a 12' wide travel lane and 8' wide base shoulder adequate to provide for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition.) 17. The development includes a phased street construction along the project boundary for future completion by the adjacent property owner, the applicant shall provide a minimum half-width street plus a 12' travel lane

retention if adequate disposal facilities are not available, as determined by

"rough proportionality" has been made in the resolution for this condition.)  $\boxtimes$ 18. The project fronts on an existing street. The applicant shall pave-out from the proposed gutter to the edge of pavement if the existing pavement section is adequate, and shall feather the new paving out to the centerline for a smooth transition. If the existing pavement, structural sections or geometrics are inadequate per current City Standards, the roadway shall be replaced to centerline and the remaining pavement shall be overlaid. (A finding of "rough proportionality" has been made in the resolution for this condition.) Ε. PRIOR TO ANY SITE WORK: X1. The applicant shall obtain a Grading Permit from the City Building Division. 2. Prior to issuance of a Grading Permit the developer shall apply, through the City, to FEMA and receive a Letter of Map Amendment (LOMA) issued from FEMA. The developer's engineer shall provide the required supporting data to justify the application.  $\boxtimes$ 3. Any existing Oak trees located on the project site shall be protected and preserved as required in City Ordinance No. 553, Municipal Code No. 10.01 "Oak Tree Preservation", unless specifically approved to be removed. An Oak tree inventory shall be prepared listing the Oak trees, their disposition, and the proposed location of any replacement trees required. In the event an Oak tree is designated for removal, an approved Oak Tree Removal Permit must be obtained from the City, prior to its removal.  $\boxtimes$ All property corners shall be staked for construction control, and shall be 4. promptly replaced if destroyed.  $\boxtimes$ 5. Any grading anticipated during the rainy season (October 15 to April 15) will require the approval of a construction zone drainage and erosion control plan to prevent damage to adjacent property. Appropriateness of areas shall be subject to City Engineer approval. 6. Any construction within an existing street shall require a traffic control plan. The plan shall include any necessary detours, flagging, signing, or

road closures requested. Said plan shall be prepared and signed by a

and 4' wide base shoulder adequate for two-way traffic. (A finding of

### F. PRIOR TO ISSUANCE OF A BUILDING PERMIT:

registered civil or traffic engineer.

	1.	A final soils report shall be submitted to the City prior to the final inspection and shall certify that all grading was inspected and approved, and that all work has been done in accordance with the plans, preliminary report, and Chapter 70 of the Uniform Building Code.
	2.	The applicants civil and soils engineer shall submit a certification that the rough grading work has been completed in substantial conformance to the approved plans and permit.
	3.	Building permits shall not be issued until the water system has been completed and approved, and a based access road installed sufficient to support the City's fire trucks, in a manner approved by the Fire Chief.
	4.	Prior to issuance of a Building Permit for building within Flood Insurance Rate Map (FIRM) zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide an Elevation Certificate in accordance with the National Flood Insurance program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.
	5.	Prior to issuance of a Building Permit for building within Flood Insurance Rate Map (FIRM) zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide a Flood Proofing Certificate in accordance with the National Flood Insurance program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.
G.	PRIO	R TO ISSUANCE OF CERTIFICATE OF OCCUPANCY:
	1.	All final property corners and street monuments shall be installed before acceptance of the public improvements.
	1.	<u> </u>
		acceptance of the public improvements.  No buildings shall be occupied until all public improvements are completed and approved by the City Engineer, and accepted by the City
	2.	acceptance of the public improvements.  No buildings shall be occupied until all public improvements are completed and approved by the City Engineer, and accepted by the City Council for maintenance.  All disturbed areas not slated for development shall be protected against erosion in a manner acceptable to the City Engineer, which may include

	6.	All construction refuse shall be separated (i.e. concrete, asphalt concrete, wood, gypsum board, etc.) and removed from the project to a recycling facility in accordance with the City's Source Reduction and Recycling Element.
	7.	If any of the public improvements or conditions of approval are not completed or met, then the subdivider may, at the discretion of the City Engineer, enter into a Performance Agreement with the City to complete said improvements at a later date and post securities to cover the cost of the improvements. The form of the agreement and amount of the securities are subject to the approval of the City Engineer.
	8.	A blackline clear Mylar (0.4 MIL) copy and two (2) blueline prints of asbuilt improvement plans, signed by the engineer of record, shall be provided to the City Engineer prior to the final inspection. A reduced copy (i.e. $1'' = 100'$ ) of the composite utility plan shall be provided to update the City's Atlas Map.
	9.	A benchmark shall be placed for vertical control on the U.S.G.S. Datum as required by the City Engineer.
****		*********************
PASC		LES FIRE DEPARTMENT - The applicant shall contact the Fire (805) 237-3973, for compliance with the following conditions:
PAS( Depa	rtment,	• •
PAS( Depa	rtment,	(805) 237-3973, for compliance with the following conditions:
PASC Depa	rtment, ENER	(805) 237-3973, for compliance with the following conditions:  AL CONDITIONS  Fire hydrants shall be installed at intervals as required by the Fire Chief and City Engineer. The maximum spacing for single family residential shall be 500 feet. The maximum spacing for multi-family and commercial/residential shall be 300 feet. On-site hydrants shall be placed
PASC Depa	rtment, ENER	(805) 237-3973, for compliance with the following conditions:  AL CONDITIONS  Fire hydrants shall be installed at intervals as required by the Fire Chief and City Engineer. The maximum spacing for single family residential shall be 500 feet. The maximum spacing for multi-family and commercial/residential shall be 300 feet. On-site hydrants shall be placed as required by the Fire Chief.  Building permits shall not be issued until the water system, including hydrants, has been tested and accepted and a based access road installed sufficient to support the City's fire apparatus (HS-20 truck loading). The access road shall be kept clear to a minimum of 24 feet at all times and shall be extended to each lot and shall be maintained to provide all weather

		temporary turn around shall meet City requirements as set forth in the Public Works Department Standards and Specifications.
	5.	All open space areas to be dedicated to the City shall be inspected by the Fire Department prior to acceptance. A report shall be submitted recommending action needed for debris, brush and weed removal and tree trimming. The developer shall clean out all debris, dead limbs and trash from areas to be recorded as open space prior to acceptance into a Benefit Maintenance District.
	6.	Any open space included in a private development shall be subject to the approval of a vegetation management plan approved by the Fire Chief.
	7.	Each tract or phase shall provide two sources of water and two points of access unless otherwise determined by the Fire Chief and Public Works Director.
$\boxtimes$	8.	Provisions shall be made to update the Fire Department Run Book.

# EXHIBIT B OF RESOLUTION 04-\_\_\_\_ TENTATIVE PARCEL MAP PR 03-0338

# EXHIBIT C OF RESOLUTION 04-\_\_\_ PRELIMINARY GRADING AND DRAINAGE PLAN