RESOLUTION NO.: <u>07-0006</u> A RESOLUTION OF THE PLANNING COMMISSION OF THE CITY OF EL PASO DE ROBLES TENTATIVE TRACT 2583 (JASON RHOADES)

APN: 025-402-024

WHEREAS, Tentative Tract 2583 has been filed by Pam Jardini on behalf of Jason Rhoades to subdivide an approximate 3.1-acre site into 9 single family residential lots; and

WHEREAS, the site is located on the northwest corner of Union Road and Prospect Avenue; and

WHEREAS, the project site is located within Sub Area C of the Union/46 Specific Plan area; and

WHEREAS, Planned Development 06-013 has been filed in conjunction with this tentative map request to meet Section 21.23B.030 of the Zoning Code, which requires Planning Commission approval of a development plan for base zones which are in the planned development (overlay) district; and

WHEREAS, an environmental Initial Study was prepared for this project in accordance with the California Environmental Quality Act (CEQA) and although mitigation measures were identified within the study (on file in the Community Development Department), the conclusion was such to enable a finding of consistency of the project with the approved Union/46 Specific Plan for which an Environmental Impact Report was already prepared and certified by the City Council, and

WHEREAS, a public hearing was conducted by the Planning Commission on January 9, 2007, to consider facts as presented in the staff report prepared for this project, and to accept public testimony regarding this proposed subdivision and associated planned development; and

WHEREAS, based upon the facts and analysis presented in the staff report, public testimony received and subject to the conditions of approval listed below, the Planning Commission makes the following findings as required by Government Code Section 66474:

- 1. As conditioned, the proposed tentative subdivision map is consistent with the adopted General Plan for the City of El Paso de Robles by providing urban single-family residential neighborhoods;
- 2. As conditioned, the design of lots, streets, open space, drainage, sewers, water and other improvements is consistent with the General Plan, Zoning Ordinance and the Union 46 Specific plan;
- 3. The site is physically suitable for the type of development proposed as shown on the tentative tract map (Exhibit B to this resolution);

1

- 4. The site is physically suitable for the proposed density of development by meeting the Union-46 Specific Plan requirements of 10,000 square foot minimum lot size with an average of 12,000 square feet lot size;
- 5. The design of the subdivision is not likely to cause substantial environmental damage or substantially and unavoidably injure fish or wildlife or their habitat;
- 6. The design of the subdivision and types of improvements proposed are not likely to cause serious public health problems; and,
- 7. The design of the subdivision and the type of improvements proposed will not conflict with easements acquired by the public at large, for access through or use of, property within the proposed subdivision.

NOW, THEREFORE, BE IT RESOLVED, that the Planning Commission of the City of El Paso de Robles does hereby grant tentative map approval to Tract 2583 subject to the following conditions of this resolution:

STANDARD CONDITIONS:

1. The applicant/developer shall comply with those standard conditions which are indicated as applicable in "Exhibit A" to this resolution. When future applications are submitted to the City for development of the newly created lots, additional site specific conditions will apply. Note: All checked standard conditions shall apply unless superseded by a site specific condition.

COMMUNITY DEVELOPMENT SITE SPECIFIC CONDITIONS:

NOTE: In the event of conflict or duplication between standard and site specific conditions, the site specific condition shall supersede the standard condition.

2. The project shall be constructed so as to substantially conform with the following listed exhibits and conditions established by this resolution:

EXHIBIT	<u>DESCRIPTION</u>
A	Standard Conditions
В	Tentative Tract Map
C	Preliminary Grading & Drainage
D	Fence & Wall Plan
E	Preliminary Landscape Plan

3. Tentative Tract Map 2583 coincides with Planned Development 06-013 and authorizes the subdivision of approximately 3-acres into a maximum of 9 single family residential lots ranging from approximately 10,000 square feet to 21,095 in size (maintaining an average of 12,000 square feet).

- 4. The maximum number of residential lots permitted within this subdivision/development plan shall be 9. No lots shall be eligible for further subdivision (with the exception of minor lot line adjustments).
- 5. The Final Subdivision Map shall be in substantial compliance with the tentative subdivision map, preliminary grading plan (Exhibits B E, reductions attached; full size copies are on file in the Community Development Department) and as amended by site specific and standard conditions contained in this resolution.
- 6. The project shall comply with all conditions of approval in the resolution granting approval to Planned Development 06-013 and its exhibits.
- 7. The applicant shall implement all mitigation measures contained in the associated Environmental Finding Resolution for this project, which includes Project Mitigation Measures identified in the original Certified Environmental Impact Report for the Specific Plan. Additional project level mitigation measures are contained in this tract resolution and are designed to further off set potential impacts to less than significant.
- 8. The project shall be conditioned to comply with all applicable District regulations pertaining to the control of fugitive dust (PM-10) as contained in section 6.4 of the Air Quality Handbook. All site grading and demolition plans noted shall list the following regulations:
 - a. Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (non-potable) water should be used whenever possible.
 - b. All dirt stockpile areas should be sprayed daily as needed.
 - c. Permanent dust control measures identified in the approved project revegetation and landscape plans should be implemented as soon as possible following completion of any soil disturbing activities.
 - d. Exposed ground areas that are to be reworked at dates greater than one month after initial grading should be sown with a fast-germinating native grass seed and watered until vegetation is established.
 - e. All disturbed soil areas not subject to revegetation should be stabilized using approved chemical soil binders, jute netting, or other methods approved in advance by the APCD.
 - f. All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used.

- g. Vehicle speed for all construction vehicles shall not exceed 15 mph on any unpaved surface at the construction site.
- h. All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard (minimum vertical distance between top of load and top of trailer) in accordance with CVC Section 23114.
- i. Install wheel washers where vehicles enter and exit unpaved roads onto streets, or wash off trucks and equipment leaving the site.
- j. Sweep streets at the end of each day if visible soil material is carried onto adjacent paved roads. Water sweepers with reclaimed water should be used where feasible.
- k. Reduce the amount of the disturbed area where possible.
- 9. Regarding the rest of the oak trees on site, the following mitigation measures will be added to insure proper preservation:
 - Prior to the issuance of a grading permit for Lot 5, and prior to the approval of the improvement plans, all mitigations as outlined in the Arborist Report performed by A&T Arborist (attached) shall be complied with. A letter from the Arborist will need to be submitted to the City acknowledging that all necessary mitigations have been complied with. Additionally, a letter from the Arborist will need to be submitted to the City prior to the final tract acceptance indicating that the mitigation has been completed in an acceptable manner.
 - 2. Constructive notice shall be recorded against the title of Lot 5 notifying future owners that any construction on these lots will need to stay out of the Critical Root Zone of the Oak Trees. A plan exhibit that graphically shows the relationship of the building envelope with the oak tree critical root zones shall be included with the Constructive Notice.
- 10. In the event that buried or otherwise hidden cultural resources are discovered during construction work in the area of the find, work should be temporarily suspended and the City of Paso Robles should be contacted immediately, and appropriate mitigations measures shall be developed by a qualified archeologist or historian if necessary, at the developer's expense.
- 11. The applicant shall take the steps necessary to annex to or form a City Community Facilities District (CFD) in order to provide funding for City services for each new parcel or dwelling unit in the proposed development. The agreement to form or annex to a CFD shall be in a manner to be approved by the City Attorney. Participation in a City CFD for services is intended to fully mitigate the incremental impact of new residential development on City services and maintain such services at the standards established in the General Plan.

If for any reason, applicant does not take the necessary steps to have the development included within a CFD, applicant shall, in a manner subject to approval by the City Council and City Attorney, provide for alternative means of fiscal mitigation at a level equal to the

- special taxes established in the Rate and Method of Apportionment applicable to CFD 2005-1, as they may be adjusted from time to time.
- 12. For any project resulting in the development of five (5) or more residential units on separate parcels, applicant shall also prepare and record the necessary documents to form a homeowners association (the "HOA") for such development, which HOA shall become active only if and when the CFD is terminated. The HOA documents shall provide that the HOA shall be required to fund the services provided by the CFD, and at the same level established in the Rate and Method of Apportionment for the CFD.
- 13. Prior to Tract acceptance, a 6-foot wood fence shall be constructed on the west end of the "hammer-head" to screen lights from cars traveling west bound on the street.

ENGINEERING SITE SPECIFIC CONDITIONS

- 14. Union Road shall be improved in accordance with the Union Road Plan Line adopted by City Council and plans approved by the City Engineer. Improvements will include a landscape median and turn pocket at Prospect Avenue.
- 15. Prospect Avenue shall be constructed in accordance with City Local Street Standard A-5 and plans approved by the City Engineer.
- 16. The interior street constructed in accordance with City Neo-Traditional Standard A-6 and plans approved by the City Engineer (Traffic Index = 6.0).
- 17. The applicant shall relocate all overhead utilities along Union Road underground.
- 18. The subdivider shall abandon the Almendra Court lift station in Tract 2373 and extend an 8-inch sewer line to Tract 2583. The City will reimburse the subdivider for the sewer extension and shall partially offset the reimbursement by providing facilities from the Almendra Court lift station for use in the new lift station required in Tract 2583.
- 19. The subdivider shall provide a variable width drainage and open space easement along the west side of Lot 5. A bio-swale, designed by a qualified biologist shall be placed in the easement to convey storm run-off from the subdivision to the natural drainage course at the southwest boundary.
- 20. An open space easement shall be provided around the natural drainage course at the southwest boundary of the subdivision in accordance with the Union-46 Specific Plan.
- 21. CC&Rs shall be recorded over Tract 2583 stating that low impact design features shall be incorporated into the grading and drainage plans for each lot in the subdivision. Landscape irrigation shall be precluded from discharge into the streets and natural channels to the extent possible.

EMERGENCY SERVICES SITE SPECIFIC CONDITIONS

	e start of construction, documentation shall be submitted to Emergency Services nat required fire flows can be provided to meet all project demands.
PASSED ANI	ADOPTED THIS 9 th Day of January, 2007 by the following Roll Call Vote:
AYES:	Johnson, Treatch, Menath, Holstine, Steinbeck
NOES:	Withers, Flynn
ABSENT:	None
ABSTAIN:	None
	VICE CHAIRMAN MARGARET HOLSTINE
ATTEST:	
RON WHISE	NAND, PLANNING COMMISSION SECRETARY

H:darren\Tract 2583 Rhoades\Tract Reso

EXHIBIT A OF RESOLUTION 07-0006

CITY OF EL PASO DE ROBLES STANDARD DEVELOPMENT CONDITIONS FOR SINGLE FAMILY RESIDENTIAL TRACT AND PARCEL MAPS

PROJ	ECT #:_	Tentative Tract 2583
APPR	OVING	BODY: Planning Commission
DATE	OF AP	PROVAL: January 9, 2007
APPL	ICANT:	Rhoades
LOCA	TION:	Northwest corner of Union Road and Prospect Ave.
The ch specific resoluti	ecked cor ally indic on.	nditions that have been checked are standard conditions of approval for the above referenced project ditions shall be complied with in their entirety before the project can be finalized, unless otherwised. In addition, there may be site specific conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to this project in the standard conditions of approval that apply to the standard conditions of approval that apply the standard conditions of approval the standard conditions of approval the standard c
		DEVELOPMENT DEPARTMENT - The applicant shall contact the Planning Division, (80 mpliance with the following conditions:
A.	GENERA	AL CONDITIONS
	1.	This project approval shall expire on <u>Jan. 9, 2009</u> , unless a time extension request is filed with to Community Development Department prior to expiration.
	2.	The site shall be developed and maintained in accordance with the approved plans and unle specifically provided for through the Planned Development process, development shall comp with the Zoning Code, all other applicable City Ordinances, and applicable Specific Plans.
	3.	Prior to recordation of the map, all conditions of approval shall be completed to the satisfaction the City Engineer and Community Developer Director or his designee.
	4.	This project is subject to the California Environmental Quality Act (CEQA), which requires tapplicant submit a \$25.00 filing fee for the Notice of Determination payable to "County of San Lu Obispo". The fee should be submitted to the Community Development Department within 24 hou of project approval, which is then forwarded to the San Luis Obispo County Clerk. Please note the project may be subject to court challenge unless the required fee is paid.
	5.	In accordance with Government Section 66474.9, the subdivider shall defend, indemnify and he harmless the City, or its agent, officers and employees, from any claim, action or proceeding brought within the time period provided for in Government Code section 66499.37, against the City, or its agents, officers, or employees, to attack, set aside, void, annul the City's approval of the subdivision. The City will promptly notify subdivider of any such claim or action and we cooperate fully in the defense thereof.

	6.	All signs shall be subject to review and approval as required by Municipal Code Section 21.19 and shall require a separate application and approval prior to installation of any sign.
	7.	All existing and/or new lighting shall be shielded so as to be directed downward in such a manner as to not create off-site glare or adversely impact adjacent properties. The style, location and height of the lighting fixtures shall be submitted with the building plans and subject to approval by the Community Development Department.
\boxtimes	8.	All existing and/or new landscaping shall be installed with automatic irrigation systems.
	9.	All walls/fences and exposed retaining walls shall be constructed of decorative materials which include but are not limited to splitface block, slumpstone, stuccoed block, brick, wood, crib walls or other similar materials as determined by the Development Review Committee, but specifically excluding precision block.
	10.	The following areas shall be placed in a Landscape and Lighting District:
	11.	The following areas shall be permanently maintained by the property owner, Homeowners' Association, or other means acceptable to the City:
	12.	The applicant shall install durable, decorative fence/wall treatments and landscaping along all arterial streets consisting of brick, tubular steel with pilasters, or other similar materials as determined by the Development Review Committee, but specifically excluding precision block and wood fences. Substantial setbacks with landscaping may be considered as an alternative, subject to approval by the Development Review Committee.
	13.	The applicant shall provide a one-foot non-access easement along the rear/side of all lots that back up/side against a collector or arterial street.
В.		FOLLOWING CONDITIONS SHALL BE COMPLETED PRIOR TO THE ISSUANCE OF DING PERMITS OR RECORDATION OF THE FINAL MAP, WHICHEVER OCCURS :
	1.	Two sets of the revised Planning Commission approved plans incorporating all Conditions of Approval, standard and site specific, shall be submitted to the Community Development Department.
	2.	Prior to the issuance of building permits, the ☐ Development Review Committee shall approve the following: ☐ Planning Division Staff shall approve the following: ☐ a. A detailed landscape plan including walls/fencing; ☐ b. Other: House Plans, incl. colors/materials & landscaping
	3.	The Covenants, Conditions, and Restrictions (CC&Rs) and/or Articles Affecting Real Property Interests are subject to the review and approval of the Community Development Department, the

		Final Map or prior to the issuance of building permits, whichever occurs first. A recorded copy shall be provided to the affected City Departments.
\boxtimes	4.	The applicant shall agree, in a manner acceptable to the City Attorney, to pay impact mitigation fees as may be established through a resolution or ordinance adopted by the City Council, in effect at the time building permits are issued.
N/A	5.	In order for this tract/parcel map to be in conformance with the General Plan, the lots/parcels of the tract/parcel map shall be annexed into a Community Facilities District (CFD) that serves to mitigate impacts to public schools. Said CFD shall either be a joint City School District CFD or a CFD created by the School District that the City Council has approved. If at the time that the final map is submitted for approval, proceedings to annex the tract/parcel map into a CFD have not been completed, the applicant shall record on all lots/parcels, a waiver of future protest to the formation of a CFD joint City School District CFD of a CFD created by the School Districts that the City Council has approved. This condition shall not be imposed if the developer executes a development agreement with the District to mitigate school impacts.
\boxtimes	6.	Street names shall be submitted for review and approval by the Planning Commission, prior to approval of the final map.
	7.	The developer shall provide constructive notice to all buyers that all homes are required to utilize semi-automated trash containers as provided by the City's franchisee for solid waste collection.
	8.	The developer shall provide constructive notice to future buyers that all residential units shall be required to be equipped with trash compactors.
	9.	The applicant shall meet with the City's Crime Prevention Officer prior to the issuance of building permits for recommendations on security measures to be incorporated into the design of the structures to be constructed. The applicant is encouraged to contact the Police Department at (805) 237-6464 prior to plan check submittal.

Public Works Department and/or the City Attorney. They shall be recorded concurrently with the

PUBLIC WORKS DEPARTMENT - The applicant shall contact the Engineering Division, (805) 237-3860, for compliance with the following conditions:

	SENTAT	Rhoades IVE: Rob Carnes ative Tract Map 2583	PREPARED BY: John Falkenstien CHECKED BY: TO PLANNING:
C.	PRIOR	TO ANY PLAN CHECK:	
	1.	The applicant shall enter into an Engineering Plan City.	heck and Inspection Services Agreement with
D.	PRIOR	TO RECORDING OF THE FINAL OR PARCEL	MAP:
\boxtimes	1.	The owner shall pay all Final Map fees, and current Check and Construction and Inspection services and a	
	2.	If, at the time of approval of the final/record parcel not been completed and accepted by the City the own Agreement with the City in accordance with the Sub owner shall also be required to post securities to gua improvements as specified in the Subdivision Map required by the City. The owner shall also be require with Section 7008 of the Uniform Building Code, la amount to ensure completion of the grading and development" has been made for this condition on par Bonds required and the amount shall be as follows:	er shall be required to enter into a Subdivision odivision Map Act, prior to recordation. The trantee the installation and completion of said Act and submit a Certificate of Insurance as ed to post securities for grading in accordance test edition. This bond shall be of sufficient drainage facilities. (A finding of "orderly
		Performance Bond100% of improvement co Labor and Materials Bond50% of performance b	
	3.	The developer shall annex to the City's Landscap operating and maintenance costs of the following: a. Street lights; b. Parkway and open space landscaping; c. Wall maintenance in conjunction with landscaping d. Graffiti abatement; e. Maintenance of open space areas.	
	4.	The owner shall offer to dedicate to the City a 6 f adjacent to all road right-of-ways. The owner shall easement(s). The location and alignment of the satisfaction of the City Engineer: \[\begin{align*}	l offer to dedicate to the City the following

\boxtimes	5.	The subdivider shall o	ffer to dedicate and improv	ve the following street(s) to the standard indicated:
		Union Road Prospect Avenue Interior Street	Union Road Plan Lin Local Neo-Traditional	A-5 A-6
\boxtimes	6.	improvement plans an		Standard Drawing No. ic right-of-way shall be incorporated into the of approval by the Department of Public Works, opment Department.
	7.	City Engineer for revi		gistered civil engineer and shall be submitted to the provements shall be designed and placed to Public
	8.		e soils or other soils prob	shall be prepared for the property to determine the lems and shall make recommendations regarding
	9.	public utility, together		an signed as approved by a representative of each ns. The composite utility plan shall also be signed on Managers.
	10.	the improvement plans	s. Drainage calculations si	by a registered civil engineer shall be included with hall be submitted, with provisions made for on-site ies are not available, as determined by the City
	11.	map showing the lot of	configuration, and the area	to record concurrently with the final map or parcel subject to inundation by the 100 year storm with the National Geodetic Vertical Datum of 1929.
	12.	underground to each l by the City Engineer relocated underground extended to the bound exists. All underground	ot in the subdivision. Str All existing overhead of the except for electrical linuaries of the project, unless and construction shall be construction shall be construction.	vater, gas, electricity, cable TV, and telephone) eet lights shall be installed at locations as required itilities adjacent to or within the project shall be seen the second of the second sec
	13.		ngineer. Boring and jacki	be overlaid to restore a smooth riding surface as ng rather than trenching may be required on newly
	14.	The sewer system shall the video tape provide the sewer video tape a	It also be tested by a mean d to the City. No paving and has determined that the	ystems shall successfully pass a City pressure test. s of a mandrel and video inspection with a copy of shall occur until the City has reviewed and viewed e sewerline is acceptable. Any repair costs to the be at the developer's expense.

\boxtimes	15.	The owner shall install all street name, traffic signs and traffic striping as directed by the City Engineer.
	16.	The adjoining existing City street is inadequate for the traffic generated by the project, or will be severely damaged by the construction. The applicant shall remove the entire roadway and replace it with a minimum full half-width street plus a 12' wide travel lane and 8' wide base shoulder adequate to provide for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition.)
	17.	The development includes a phased street construction along the project boundary for future completion by the adjacent property owner, the applicant shall provide a minimum half-width street plus a 12' travel lane and 4' wide base shoulder adequate for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition.)
	18.	The project fronts on an existing street. The applicant shall pave-out from the proposed gutter to the edge of pavement if the existing pavement section is adequate, and shall feather the new paving out to the centerline for a smooth transition. If the existing pavement, structural sections or geometrics are inadequate per current City Standards, the roadway shall be replaced to centerline and the remaining pavement shall be overlaid. (A finding of "rough proportionality" has been made in the resolution for this condition.)
E.	PRIOR	TO ANY SITE WORK:
\boxtimes	1.	The applicant shall obtain a Grading Permit from the City Building Division.
	2.	Prior to issuance of a Grading Permit the developer shall apply, through the City, to FEMA and receive a Letter of Map Amendment (LOMA) issued from FEMA. The developer's engineer shall provide the required supporting data to justify the application.
	3.	Any existing Oak trees located on the project site shall be protected and preserved as required in City Ordinance No. 553, Municipal Code No. 10.01 "Oak Tree Preservation", unless specifically approved to be removed. An Oak tree inventory shall be prepared listing the Oak trees, their disposition, and the proposed location of any replacement trees required. In the event an Oak tree is designated for removal, an approved Oak Tree Removal Permit must be obtained from the City, prior to its removal.
	4.	All property corners shall be staked for construction control, and shall be promptly replaced if destroyed.
	5.	Any grading anticipated during the rainy season (October 15 to April 15) will require the approval of a construction zone drainage and erosion control plan to prevent damage to adjacent property. Appropriateness of areas shall be subject to City Engineer approval.
	6.	Any construction within an existing street shall require a traffic control plan. The plan shall include any necessary detours, flagging, signing, or road closures requested. Said plan shall be prepared and signed by a registered civil or traffic engineer.

F. PRIOR TO ISSUANCE OF A BUILDING PERMIT:

	1.	A final soils report shall be submitted to the City prior to the final inspection and shall certify that all grading was inspected and approved, and that all work has been done in accordance with the plans, preliminary report, and Chapter 70 of the Uniform Building Code.
\boxtimes	2.	The applicants civil and soils engineer shall submit a certification that the rough grading work has been completed in substantial conformance to the approved plans and permit.
	3.	Building permits shall not be issued until the water system has been completed and approved, and a based access road installed sufficient to support the City's fire trucks, in a manner approved by the Fire Chief.
	4.	Prior to issuance of a Building Permit for building within Flood Insurance Rate Map (FIRM) zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide an Elevation Certificate in accordance with the National Flood Insurance program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.
	5.	Prior to issuance of a Building Permit for building within Flood Insurance Rate Map (FIRM) zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide a Flood Proofing Certificate in accordance with the National Flood Insurance program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.
G.	PRIOR	TO ISSUANCE OF CERTIFICATE OF OCCUPANCY:
	1.	All final property corners and street monuments shall be installed before acceptance of the public improvements.
	2.	No buildings shall be occupied until all public improvements are completed and approved by the City Engineer, and accepted by the City Council for maintenance.
	3.	All disturbed areas not slated for development shall be protected against erosion in a manner acceptable to the City Engineer, which may include hydroseeding or landscaping.
\boxtimes	4.	The applicant shall pay any current and outstanding fees for Engineering Plan Checking and Construction Inspection Services and any outstanding annexation fees.
	5.	All top soil removed shall be stockpiled and evenly distributed over the slopes and lots upon completion of rough grading to support hydroseeding and landscaping. All slope areas shall be protected against erosion by hydroseeding or landscaping.
	6.	All construction refuse shall be separated (i.e. concrete, asphalt concrete, wood, gypsum board, etc.) and removed from the project to a recycling facility in accordance with the City's Source Reduction and Recycling Element.
	7.	If any of the public improvements or conditions of approval are not completed or met, then the subdivider may, at the discretion of the City Engineer, enter into a Performance Agreement with the City to complete said improvements at a later date and post securities to cover the cost of the improvements. The form of the agreement and amount of the securities are subject to the approval of the City Engineer.
\boxtimes	8.	A blackline clear Mylar (0.4 MIL) copy and two (2) blueline prints of as-built improvement plans, signed by the engineer of record, shall be provided to the City Engineer prior to the final inspection.

		A reduced copy (i.e. $1'' = 100'$) of the composite utility plan shall be provided to update the City's Atlas Map.
	9.	A benchmark shall be placed for vertical control on the U.S.G.S. Datum as required by the City Engineer.
*****	******	****************
		FIRE DEPARTMENT - The applicant shall contact the Fire Department, (805) 237-3973, for the following conditions:
H. GEI	NERAL	CONDITIONS
	1.	Fire hydrants shall be installed at intervals as required by the Fire Chief and City Engineer. The maximum spacing for single family residential shall be 500 feet. The maximum spacing for multifamily and commercial/residential shall be 300 feet. On-site hydrants shall be placed as required by the Fire Chief.
	2.	Building permits shall not be issued until the water system, including hydrants, has been tested and accepted and a based access road installed sufficient to support the City's fire apparatus (HS-20 truck loading). The access road shall be kept clear to a minimum of 24 feet at all times and shall be extended to each lot and shall be maintained to provide all weather driving conditions.
\boxtimes	3.	No buildings shall be occupied until all improvements are completed and accepted by the City for maintenance.
	4.	If the development includes phased street construction, temporary turn-arounds shall be provided for streets that exceed 150 feet in length. The temporary turn around shall meet City requirements as set forth in the Public Works Department Standards and Specifications.
	5.	All open space areas to be dedicated to the City shall be inspected by the Fire Department prior to acceptance. A report shall be submitted recommending action needed for debris, brush and weed removal and tree trimming. The developer shall clean out all debris, dead limbs and trash from areas to be recorded as open space prior to acceptance into a Benefit Maintenance District.
	6.	Any open space included in a private development shall be subject to the approval of a vegetation management plan approved by the Fire Chief.
	7.	Each tract or phase shall provide two sources of water and two points of access unless otherwise determined by the Fire Chief and Public Works Director.
\boxtimes	8.	Provisions shall be made to update the Fire Department Run Book.