

RESOLUTION NO.: 07-092

A RESOLUTION OF THE PLANNING COMMISSION
OF THE CITY OF EL PASO DE ROBLES APPROVING
PLANNED DEVELOPMENT 06-021
(VISTA DEL HOMBRE - GEARHART)
APN: 025-441-041, 044 & 045

WHEREAS, Section 21.16A, Planned Development District, projects located in the PD Overlay district are subject to Planning Commission approval of a development plan (PD); and

WHEREAS, Planned Development 06-021 has been filed by Kirk Consulting on behalf of Vista Del Hombre, LLC – Kelly Gearhart, to construct a 154,340 square foot manufacturing/light-industrial complex at the Links Golf Course located at 5151 Jardine Road; and

WHEREAS, the 210 acre site is zoned AP-PD (Airport, Planned Development Overlay), and has a General Plan designation of BP, (Business Park); and

WHEREAS, in conjunction with PD 06-021, the applicant has submitted Tentative Tract 2716, which would subdivide the property into 39 separate lots; and

WHEREAS, the original project was reviewed by the Planning Commission on August 14, 2007, where the Commission on a 4-2 vote (one vacancy) denied the project, the denial was based on the Planning Commission's finding that the project as designed and conditioned, could create traffic impacts on Dry Creek Road and Jardine Road which are not currently designed to handle traffic associated with this development; and

WHEREAS, on September 11, 2007, Kirk Consulting, on behalf of Gearhart Development submitted a modified project for Vista del Hombre, the modifications consist of the following:

- a. Changed the phasing of the project to focus on Dry Creek Road improvements;
- b. Eliminating access from the project to Jardine Road. A gate will be placed and only emergency vehicle access will be allowed for;
- c. Prevent access from the project on Beacon Road;

and;

WHEREAS, at its October 23, 2007 meeting, the Planning Commission held a duly noticed public hearing on the Project, to accept public testimony on the proposal including Planned Development 06-021 and related applications; and

WHEREAS, at its October 23, 2007 meeting, the Planning Commission held a duly noticed public hearing on the Project, to accept public testimony on the proposal including Planned Development 06-021 and related applications; and

WHEREAS, pursuant to the Statutes and Guidelines of the California Environmental Quality Act (CEQA), and the City's Procedures for Implementing CEQA, an Initial Study was prepared and circulated for public review and comment; and

WHEREAS, based on the information and analysis contained in the Initial Study, a determination has been made that the proposed Project qualifies for adoption of a Mitigated Negative Declaration; and

WHEREAS, based upon the facts and analysis presented in the staff report and the attachments thereto, the public testimony received, and subject to the Conditions of Approval listed below, the Planning Commission makes the following findings:

1. The proposed Vista del Hombre project, as conditioned, would be consistent with the Zoning and General Plan by providing clean attractive businesses and industries in which all activities are conducted indoors.
2. The project would be consistent with the Economic Strategy since it could provide for a diversified range of specialty industry clusters, drawing on local advantages to serve the local and international markets.
3. The proposed Planned Development is consistent with the purpose, intent and regulations set forth in Chapter 21.16A (Planned Development Overlay District Regulations) as follows:
 - A. The granting of the Planned Development (PD) will not adversely affect the policies, spirit and intent of the General Plan, the Zoning Ordinance, and the policies and plans of the City.
 - B. The Project maintains and enhances the significant natural resources on the site by designing a project that compliments the existing golf course and meets required standards for grading, drainage and storm water quality.
 - C. The Project is designed to be sensitive to, and blend in with, the character of the site and surrounding area. This has been accomplished by constructing the project at the interior of the site within the existing golf course while allowing the existing golf course to act as buffer between the existing residential along Jardine Road and Beacon Road.
 - D. Based on the project's design and density of the developed portions of the site, the project would be compatible with the established character and scale of surrounding development and would not be disharmonious or disruptive element to the neighborhood. The project has been designed to take in consideration the existing golf course, which will act as a buffer between the proposed project and the neighboring residential.
 - E. The project is consistent with the purpose and intent of the Zoning Code and the Project is not contrary to the public health, safety and welfare.

NOW, THEREFORE, BE IT RESOLVED, that the Planning Commission of the City of El Paso de Robles does hereby approve Planned Development 06-012, subject to the following conditions:

STANDARD CONDITIONS:

1. The Project shall comply with all Conditions of Approval and Exhibits contained in this Resolution and the associated Resolutions for the above-referenced Tentative Tract Map 2716.

PLANNING SITE SPECIFIC CONDITIONS:

NOTE: In the event of conflict or duplication between standard and site-specific conditions, the site-specific condition shall supersede the standard condition.

2. The Project shall be constructed in substantial conformance with the Conditions of Approval established by this Resolution and it shall be constructed in substantial conformance with the following Exhibits:

EXHIBIT	DESCRIPTION
A	Standard Conditions of Approval
B	Master Plan of Development
B-1	Phasing Plan
C1-C3	Preliminary Grading & Drainage Plan
D	Preliminary Street Improvement Plan
E	Architectural Elevations – Bldg Type IV
F	Architectural Elevations – Bldg Type III
G	Architectural Elevations – Bldg Type I
H	Architectural Elevations – Bldg Type II
I1-I3	Conceptual Landscape Plan
J	Conceptual Lighting Plan
K	Color and Materials Board (on file in the Community Development Dept.)

3. This Development Plan for PD 06-021, together with the application for Vesting Tentative Tract Map 2716, allows for development and operation of the Vista Del Hombre project which includes the development and operation of a 154,340 square foot manufacturing/light-industrial with supporting commercial/office uses at the Links Golf Course.
4. The project would be developed in Three construction phases:
Phase I: Lots 13-26
Phase II: Lots 27-39
Phase III: Lots 1-12
5. The support commercial and office uses would be limited to no more than 30,000 square feet. All uses must comply with Table 21.16.200, where some uses could require a Conditional Use Permit.

6. Prior to the issuance of building permits the following plans/details shall be submitted to the Development Review Committee (DRC) for review and approval:
 - a. Final site plan, grading plan and detailed landscape plan;
 - b. Exterior lighting cut sheets and light placement plan (all lights shall be shielded to not shine beyond the property line and be timed to reduce intensity after the close of business);
 - c. Final details including bike racks, benches, patio equipment, paths..etc.
 - d. Trash enclosure details and location;
 - e. Any site fencing including placement and type of fencing;
 - f. Fencing & Landscape plan for the east side of Aerotech Center Way, south of Beacon Road.

7. Prior to the issuance of a signage permit, a signage program needs to be reviewed and approved by the DRC for any entry signage, on-site directional signage and any building mounted signs.

ENVIRONMENTAL MITIGATION MEASURES

8. APCD MITIGATIONS:

- APCD-1** Prior to any grading on the site, the project proponent shall ensure that a geologic evaluation is conducted to determine if Naturally Occurring Asbestos (NOA) is present within the area that will be disturbed. If NOA is not present, an exemption form must be filed with the District. If NOA is found at the site the applicant must comply with all requirements outlined in the Asbestos (Air Toxics Control Measure) ACTM.
- APCD-2** If utility pipelines are scheduled for removal or relocation; or building are removed or renovated this project may be subject to various regulatory jurisdictions, including the requirements stipulated in the National Emission Standard for Hazardous Air Pollutants (40CFR61,Subpart M – asbestos NESHAP).
- APCD-3** The project shall be conditioned to comply with all applicable District regulations pertaining to the control of fugitive dust (PM-10) as contained in section 6.5 of the Air Quality Handbook. All site grading and demolition plans noted shall list the following regulations:
- a. Reduce the amount of the disturbed area where possible.
 - b. Use of water trucks or sprinkler systems in sufficient quantities to prevent airborne dust from leaving the site. Increased watering frequency would be required whenever wind speeds exceed 15 mph. Reclaimed (nonpotable) water should be used whenever possible.
 - c. All dirt stockpile areas should be sprayed daily as needed.

- d. Permanent dust control measures identified in the approved project revegetation and landscape plans should be implemented as soon as possible following completion of any soil disturbing activities.
- e. Exposed ground areas that are to be reworked at dates greater than one month after initial grading should be sown with a fast-germinating native grass seed and watered until vegetation is established.
- f. All disturbed soil areas not subject to revegetation should be stabilized using approved chemical soil binders, jute netting, or other methods approved in advance by the APCD.
- g. All roadways, driveways, sidewalks, etc. to be paved should be completed as soon as possible. In addition, building pads should be laid as soon as possible after grading unless seeding or soil binders are used.
- h. Vehicle speed for all construction vehicles shall not exceed 15 mph on any unpaved surface at the construction site.
- i. All trucks hauling dirt, sand, soil, or other loose materials are to be covered or should maintain at least two feet of freeboard (minimum vertical distance between top of load and top of trailer) in accordance with CVC Section 23114.
- j. Install wheel washers where vehicles enter and exit unpaved roads onto streets, or wash off trucks and equipment leaving the site.
- k. Sweep streets at the end of each day if visible soil material is carried onto adjacent paved roads. Water sweepers with reclaimed water should be used where feasible

APCD - 4 Construction Permit Requirements:

If portable equipment, 50 horsepower or greater, are used during construction, a California statewide portable equipment registration (issued by the California Air Resources Board) or an APCD permit. The following list is provided as a guide to equipment and operations that may have permitting requirements, but should not be viewed as exclusive. For a more detailed listing, refer to page A-5 in the Districts CEQA Handbook.

APCD – 5 Standard Measures (Include all applicable standard mit. measures below)

- Provide on-site bicycle parking. One bicycle parking space for every 10 car parking spaces is considered appropriate.
- Provide on-site eating, refrigeration and food vending facilities to reduce employee lunchtime trips.
- Provide preferential carpool and vanpool parking spaces.
- Provide shower and locker facilities to encourage employees to bike and/or walk to work, typically one shower and three lockers for every 25 employees.
- Increase the building energy efficiency rating by 10% above what is required by Title 24 requirements. This can be accomplished in a number of ways (increasing attic, wall, or floor insulation, installing double pane windows, using efficient interior lighting, etc.).

APCD – 6 Discretionary Measures (Include at least 10 of the following)

Site Design Mitigation for this Commercial Project

- Increase street shade tree planting.
- Increase shade tree planting in parking lots to reduce evaporative emissions from parked vehicles.
- Provide on-site banking (ATM) and postal services.
- Provide on-site child care facilities for employees.
- Provide on-site housing for employees.
- Implement on-site circulation design elements in parking lots to reduce vehicle queuing and improve the pedestrian environment with designated walkways.
- Provide pedestrian signalization and signage to improve pedestrian safety.

APCD – 7 Transportation Demand Mitigation

- If the project is located on an established transit route, improve public transit accessibility by providing a transit turnout with direct pedestrian access to the project or improve existing transit stop amenities.
- Provide incentives to employees to carpool/vanpool, take public transportation, telecommute, walk, bike, etc by implementing the Transportation Choices Program. The applicant should Contact SLO Regional Rideshare at 541-2277 to receive free consulting services on how to start and maintain a program.
- Provide Transportation Choices Program information centers on alternative transportation modes at the site (i.e. a transportation kiosk). Contact SLO Regional Rideshare for appropriate materials at 541-2277.
- Install an electric vehicle charging station with both conductive and inductive charging capabilities.
- Employ or appoint an Employee Transportation Coordinator.
- Implement an APCD approved Trip Reduction Program
- Provide for shuttle/mini bus service.
- Increase the quality of existing bicycle routes/lanes or add bicycle routes/lanes which access the project.
- Implement compressed work schedules.
- Implement a telecommuting program.
- Implement a lunch-time shuttle to reduce single occupant vehicle trips.
- Participate in an employee "flash pass" program, which provides free travel on transit buses.
- Include teleconferencing capabilities, such as web cams or satellite linkage, which will allow employees to attend meetings remotely without requiring them to travel out of the area.
- If the development is a large grocery store or large retail facility, provide home delivery service for customers.

APCD – 8 Energy Efficiency Measures

- Shade tree planting along southern exposures of buildings to reduce summer cooling needs.
- Use roof material with a solar reflectance value meeting the EPA/DOE Energy Star® rating to reduce summer cooling needs.
- Use built-in energy efficient appliances, where applicable.
- Use double-paned windows.

- Use low energy parking lot and street lights (e.g. sodium).
- Use energy efficient interior lighting.
- Use low energy traffic signals (e.g. light emitting diode).
- Install door sweeps or weather stripping if more energy efficient doors and windows are not available.
- Install high efficiency or gas space heating.
- Replace diesel fleet vehicles with cleaner fueled low emission vehicles (e.g. school buses, transit buses, on and off road heavy duty vehicles, lighter duty trucks and passenger vehicles).
- Retrofit existing equipment to reduce emissions through methods such as catalyzed diesel particulate filters, diesel oxidation catalysts, or other approved technologies.

APCD – 9 Mixed Use Incompatibility

As individual projects move forward it is important to keep in mind that some uses may not be compatible and could result in potential nuisance problems (i.e. odors and/or dust). Therefore, it is essential that individual uses be carefully evaluated prior to issuance of an APCD use permit. The following uses could be problematic if residential quarters are included in the same building.

- Nail Salons
- Dry-cleaners
- Coffee Roasters
- Gasoline Stations
- Furniture refurbishing/refinishing
- Any type of Spray Paint Operation

9. BIOLOGICAL MITIGATIONS:

San Joaquin kit fox:

San Joaquin kit fox habitat occurs in the project area. The project will result in a net loss of kit fox habitat. The following mitigation recommendations are designed to reduce the potential for direct impacts to kit fox to a less than significant level. A kit fox habitat evaluation, was provided by the project and reviewed by the Department of Fish and Game and it was concluded that 22.5 acres would be disturbed, and based on a score of 66, it has been determined that the project would have a 2:1 mitigation ratio.

Prior to issuance of grading and/or construction permits, the applicant shall submit evidence to the City of El Paso de Robles, Community Development, Planning Division that states that one or a combination of the following three San Joaquin kit fox mitigation measures has been implemented:

- a. Provide for the protection in perpetuity, through acquisition of fee or a conservation easement of **45** acres of suitable habitat in the kit fox corridor area (e.g. within the San Luis Obispo County kit fox habitat area, northwest of Highway 58), either on-site or off-site, and provide for a non-wasting endowment

to provide for management and monitoring of the property in perpetuity. Lands to be conserved shall be subject to the review and approval of the California Department of Fish and Game (Department) and the County.

This mitigation alternative (a.) requires that all aspects of this program must be in place before County permit issuance or initiation of any ground disturbing activities.

- b. Deposit funds into an approved in-lieu fee program, which would provide for the protection in perpetuity of suitable habitat in the kit fox corridor area within San Luis Obispo County, and provide for a non-wasting endowment for management and monitoring of the property in perpetuity.

Mitigation alternative (b) above, can be completed by providing funds to The Nature Conservancy (TNC) pursuant to the Voluntary Fee-Based Compensatory Mitigation Program (Program). The Program was established in agreement between the Department and TNC to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate the impacts of projects in accordance with the California Environmental Quality Act (CEQA). The fee, payable to “The Nature Conservancy”, would total **\$112,500**. This fee is calculated based on the current cost-per-unit of \$2500 per acre of mitigation, which is scheduled to be adjusted to address the increasing cost of property in San Luis Obispo County; your actual cost may increase depending on the timing of payment. This fee must be paid after the Department provides written notification about your mitigation options but prior to County permit issuance and initiation of any ground disturbing activities.

- c. Purchase **45** credits in a Department-approved conservation bank, which would provide for the protection in perpetuity of suitable habitat within the kit fox corridor area and provide for a non-wasting endowment for management and monitoring of the property in perpetuity.

Mitigation alternative (c) above, can be completed by purchasing credits from the Palo Prieto Conservation Bank. The Palo Prieto Conservation Bank was established to preserve San Joaquin kit fox habitat, and to provide a voluntary mitigation alternative to project proponents who must mitigate the impacts of projects in accordance with the California Environmental Quality Act (CEQA). The cost for purchasing credits is payable to the owners of The Palo Prieto Conservation Bank, and would total **\$112,500**. This fee is calculated based on the current cost-per-credit of \$2500 per acre of mitigation. The fee is established by the conservation bank owner and may change at any time. Your actual cost may increase depending on the timing of payment. Purchase of credits must be completed prior to County permit issuance and initiation of any ground disturbing activities.

Prior to issuance of grading and/or construction permits, the applicant shall provide evidence that they have retained a qualified biologist acceptable to the City. The retained biologist shall perform the following monitoring activities:

- i. **Prior to issuance of grading and/or construction permits and within 30 days prior to initiation of site disturbance and/or construction**, the biologist shall conduct a pre-activity (i.e. pre-construction) survey for known

or potential kit fox dens and submit a letter to the City reporting the date the survey was conducted, the survey protocol, survey results, and what measures were necessary (and completed), as applicable, to address any kit fox activity within the project limits.

- ii. **The qualified biologist shall conduct weekly site visits during site-disturbance activities** (i.e. grading, disking, excavation, stockpiling of dirt or gravel, etc.) that proceed longer than 14 days, for the purpose of monitoring compliance with required Mitigation Measures BR-14 through BR-23. Site disturbance activities lasting up to 14 days do not require weekly monitoring by the biologist unless observations of kit fox or their dens are made on-site or the qualified biologist recommends monitoring for some other reason (see BR-14iii). When weekly monitoring is required, the biologist shall submit weekly monitoring reports to the City.
- iii. **Prior to or during project activities**, if any observations are made of San Joaquin Kit fox, or any known or potential San Joaquin kit fox dens are discovered within the project limits, the qualified biologist shall re-assess the probability of incidental take (e.g. harm or death) to kit fox. At the time a den is discovered, the qualified biologist shall contact USFWS and the CDFG for guidance on possible additional kit fox protection measures to implement and whether or not a Federal and/or State incidental take permit is needed. If a potential den is encountered during construction, work shall stop until such time the USFWS determines it is appropriate to resume work.

If incidental take of kit fox during project activities is possible, **before project activities commence**, the applicant must consult with the USFWS. The results of this consultation may require the applicant to obtain a Federal and/or State permit for incidental take during project activities. The applicant should be aware that the presence of kit foxes or known or potential kit fox dens at the project site could result in further delays of project activities.

- iv. **In addition**, the qualified biologist shall implement the following measures:
 1. **Within 30 days prior to initiation of site disturbance and/or construction**, fenced exclusion zones shall be established around all known and potential kit fox dens. Exclusion zone fencing shall consist of either large flagged stakes connected by rope or cord, or survey laths or wooden stakes prominently flagged with survey ribbon. Each exclusion zone shall be roughly circular in configuration with a radius of the following distance measured outward from the den or burrow entrances:
 - Potential kit fox den: 50 feet
 - Known or active kit fox den: 100 feet
 - Kit fox pupping den: 150 feet

2. All foot and vehicle traffic, as well as all construction activities, including storage of supplies and equipment, shall remain outside of exclusion zones. Exclusion zones shall be maintained until all project-related disturbances have been terminated, and then shall be removed.
3. If kit foxes or known or potential kit fox dens are found on site, daily monitoring by a qualified biologist shall be required during ground disturbing activities.

Prior to issuance of grading and/or construction permits, the applicant shall clearly delineate the following as a note on the project plans: “*Speed signs of 25 mph (or lower) shall be posted for all construction traffic to minimize the probability of road mortality of the San Joaquin kit fox*”. Speed limit signs shall be installed on the project site **within 30 days prior to initiation of site disturbance and/or construction**.

During the site disturbance and/or construction phase, grading and construction activities after dusk shall be prohibited unless coordinated through the City, during which additional kit fox mitigation measures may be required.

Prior to issuance of grading and/or construction permit and within 30 days prior to initiation of site disturbance and/or construction, all personnel associated with the project shall attend a worker education training program, conducted by a qualified biologist, to avoid or reduce impacts on sensitive biological resources (i.e. San Joaquin kit fox). At a minimum, as the program relates to the kit fox, the training shall include the kit fox’s life history, all mitigation measures specified by the City, as well as any related biological report(s) prepared for the project. The applicant shall notify the City shortly prior to this meeting. A kit fox fact sheet shall also be developed prior to the training program, and distributed at the training program to all contractors, employers and other personnel involved with the construction of the project.

During the site-disturbance and/or construction phase, to prevent entrapment of the San Joaquin kit fox, all excavations, steep-walled holes and trenches in excess of two feet in depth shall be covered at the close of each working day by plywood or similar materials, or provided with one or more escape ramps constructed of earth fill or wooden planks. Trenches shall also be inspected for entrapped kit fox each morning prior to onset of field activities and immediately prior to covering with plywood at the end of each working day. Before such holes or trenches are filled, they shall be thoroughly inspected for entrapped kit fox. Any kit fox so discovered shall be allowed to escape before field activities resume, or removed from the trench or hole by a qualified biologist and allowed to escape unimpeded.

During the site-disturbance and/or construction phase, any pipes, culverts, or similar structures with a diameter of four inches or greater, stored overnight at the project site shall be thoroughly inspected for trapped San Joaquin kit foxes before the subject pipe is subsequently buried, capped, or otherwise used or moved in any way. If during the construction phase a kit fox is discovered inside a pipe, that section of pipe will not be moved. If necessary, the pipe may be moved only once to remove it from the path of activity, until the kit fox has escaped

During the site-disturbance and/or construction phase, all food-related trash items such as wrappers, cans, bottles, and food scraps shall be disposed of only in closed containers. These containers shall be regularly removed from the site. Food items may attract San Joaquin kit foxes onto the project site, consequently exposing such animals to increased risk of injury or mortality. No deliberate feeding of wildlife shall be allowed.

Prior to, during and after the site-disturbance and/or construction phase, use of pesticides or herbicides shall be in compliance with all local, State and Federal regulations. This is necessary to minimize the probability of primary or secondary poisoning of endangered species utilizing adjacent habitats, and the depletion of prey upon which San Joaquin kit foxes depend.

During the site-disturbance and/or construction phase, any contractor or employee that inadvertently kills or injures a San Joaquin kit fox or who finds any such animal either dead, injured, or entrapped shall be required to report the incident immediately to the applicant and City. In the event that any observations are made of injured or dead kit fox, the applicant shall immediately notify the USFWS and CDFG by telephone. In addition, formal notification shall be provided in writing within three working days of the finding of any such animal(s). Notification shall include the date, time, location and circumstances of the incident. Any threatened or endangered species found dead or injured shall be turned over immediately to CDFG for care, analysis, or disposition.

Prior to final inspection, or occupancy, whichever comes first, should any long internal or perimeter fencing be proposed or installed, the applicant shall do the following to provide for kit fox passage:

- i. If a wire strand/pole design is used, the lowest strand shall be no closer to the ground than 12 inches.
- ii. If a more solid wire mesh fence is used, 8" x 12" openings near the ground shall be provided every 100 yards.
- iii. Upon fence installation, the applicant shall notify the City to verify proper installation. Any fencing constructed after issuance of a final permit shall follow the above guidelines.

A pre-construction survey shall be conducted within thirty days of beginning work on the project to identify if badgers are using the site. The results of the survey shall be sent to the project manager, CDFG, and the City of El Paso de Robles.

If the pre-construction survey finds potential badger dens, they shall be inspected to determine whether they are occupied. The survey shall cover the entire property, and shall examine both old and new dens. If potential badger dens are too long to completely inspect from the entrance, a fiber optic scope shall be used to examine the den to the end. Inactive dens may be excavated by hand with a shovel to prevent

re-use of dens during construction. If badgers are found in dens on the property between February and July, nursing young may be present. To avoid disturbance and the possibility of direct take of adults and nursing young, and to prevent badgers from becoming trapped in burrows during construction activity, no grading shall occur within 100 feet of active badger dens between February and July. Between July 1 and February 1 all potential badger dens shall be inspected to determine if badgers are present. During the winter badgers do not truly hibernate, but are inactive and asleep in their dens for several days at a time. Because they can be torpid during the winter, they are vulnerable to disturbances that may collapse their dens before they rouse and emerge. Therefore, surveys shall be conducted for badger dens throughout the year. If badger dens are found on the property during the pre-construction survey, the CDFG wildlife biologist for the area shall be contacted to review current allowable management practices.

ENGINEERING SITE SPECIFIC CONDITIONS:

10. Prior to occupancy of any unit, Dry Creek Road will be improved from Airport Road to Aerotech Way in accordance with conceptual plans approved by City Council and construction documents approved by the City Engineer.
 - The project will include a modern roundabout to create a new intersection of Airport Road and Dry Creek Road southeast of its existing location.
 - The project will modify the intersection of Dry Creek Road and Aerotech Way in accordance with the applicant's presentation.
 - The plans will incorporate low impact development design techniques.

Improvements to Beacon Road and Jardine Road along the project frontage will be waived. The estimated cost of these improvements will be applied to the reconstruction of Dry Creek Road.

11. Prior to occupancy of any unit, Aerotech Way shall be extended from its northerly terminus to the project in accordance with plans approved by the City Engineer (28-foot paved width). Low impact development practices shall be incorporated into the design. A 60-foot wide irrevocable and perpetual offer of dedication to the public shall be provided for Aerotech Way. If the offer of dedication cannot be obtained across the property located between the City Airport and the existing location of Aerotech Way; the applicant will extend a public road along the east boundary of the airport, in accordance with the specifications noted above, from Beacon Road to Dry Creek Road.
12. The applicant shall apply their share of improvements to the intersections of State Highways 101- 46E and 101-Airport Road to the Dry Creek Road project.
13. Prior to occupancy of any unit, the project shall be connected to City sewer.
14. Prior to occupancy of any unit, Tract 2716 shall be connected to City water and each new lot, or individually owned unit, shall have its own individual water meter.
15. The project design and construction shall incorporate Low Impact Development best management practices to mitigate the impacts on quality, quantity and rate of discharge of storm water run-off from the site.

16. Once the extension of Aerotech Center Way has been completed to the satisfaction of the City Engineer, construction traffic for the project shall use Aerotech Center Way. Until the street is constructed, construction traffic will use Jardine Road.

EMERGENCY SERVICES SITE SPECIFIC CONDITIONS:

17. Prior to start of construction, documentation shall be submitted to Emergency Services showing that required fire flows can be provided to meet all project demands.
18. Provide fire sprinkler systems for all commercial and industrial buildings.
19. Provide secondary emergency vehicle access sufficient to support the City's fire apparatus (HS 20 Truck Loading). Secondary vehicle access to be at least twenty (20) feet wide with no less than thirteen feet, six-inch vertical clearance. All secondary emergency vehicle access surfaces shall provide all weather driving capabilities and conform to the requirements of City Zoning Codes.
20. A directory of annunciator panel shall be installed at all vehicle entrance areas indicating building locations and numbers.

PASSED AND ADOPTED THIS 23rd day of October, 2007 by the following Roll Call Vote:

AYES: Steinbeck, Flynn, Treach, Johnson, Peterson, Holstine

NOES: None

ABSENT: Withers

ABSTAIN: None

CHAIRMAN MARGARET HOLSTINE

ATTEST:

RON WHISENAND, PLANNING COMMISSION SECRETARY

h:darren/PD/VistadelHombreOct23rdPDRes

EXHIBIT A OF RESOLUTION 07-092

**CITY OF EL PASO DE ROBLES STANDARD DEVELOPMENT CONDITIONS
FOR PLANNED DEVELOPMENTS / CONDITIONAL USE PERMITS**

PROJECT #: PD 06-024, CUP 06-021 & TRACT 2716

APPROVING BODY: PLANNING COMMISSION

DATE OF APPROVAL: OCTOBER 23, 2007

APPLICANT: VISTA DEL HOMBRE - GEARHART

LOCATION: 5151 JARDINE ROAD

The following conditions that have been checked are standard conditions of approval for the above referenced project. The checked conditions shall be complied with in their entirety before the project can be finalized, unless otherwise specifically indicated. In addition, there may be site specific conditions of approval that apply to this project in the resolution.

COMMUNITY DEVELOPMENT DEPARTMENT - The applicant shall contact the Community Development Department, (805) 237-3970, for compliance with the following conditions:

A. GENERAL CONDITIONS:

- 1. This project approval shall expire on August 23, 2009 (See Planned Development Approval Resolution) unless a time extension request is filed with the Community Development Department prior to expiration.
- 2. The site shall be developed and maintained in accordance with the approved plans and unless specifically provided for through the Planned Development process shall not waive compliance with any sections of the Zoning Code, all other applicable City Ordinances, and applicable Specific Plans.
- 3. Prior to occupancy, all conditions of approval shall be completed to the satisfaction of the City Engineer and Community Developer Director or his designee.
- 4. Any site specific condition imposed by the Planning Commission in approving this project may be modified or eliminated, or new conditions may be added, provided that the Planning Commission shall first conduct a public hearing in the same manner as required for the approval of this project. No such modification shall be made unless the Commission finds that such modification is necessary to protect the

public interest and/or neighboring properties, or, in the case of deletion of an existing condition, that such action is necessary to permit reasonable operation and use for this approval.

- 5. This project is subject to the California Environmental Quality Act (CEQA) which requires the applicant submit a \$25.00 filing fee for the Notice of Determination payable to "County of San Luis Obispo". The fee should be submitted to the Community Development Department within 24 hours of project approval which is then forwarded to the San Luis Obispo County Clerk. Please note that the project may be subject to court challenge unless the required fee is paid.
- 6. The site shall be kept in a neat manner at all times and the landscaping shall be continuously maintained in a healthy and thriving condition.
- 7. All signs shall be subject to review and approval as required by Municipal Code Section 21.19 and shall require a separate application and approval prior to installation of any sign.
- 8. All outdoor storage shall be screened from public view by landscaping and walls or fences per Section 21.21.110 of the Municipal Code.
- 9. All trash enclosures shall be constructed of decorative masonry block compatible with the main buildings. Gates shall be view obscuring and constructed of durable materials such as painted metal or chain link with plastic slatting.
- 10. All existing and/or new ground-mounted appurtenances such as air-conditioning condensers, electrical transformers, backflow devices etc., shall be screened from public view through the use of decorative walls and/or landscaping subject to approval by the Community Development Director or his designee. Details shall be included in the building plans.
- 11. All existing and/or new roof appurtenances such as air-conditioning units, grease hoods, etc. shall be screened from public view. The screening shall be architecturally integrated with the building design and constructed of compatible materials to the satisfaction of the Community Development Director or his designee. Details shall be included in the building plans.
- 12. All existing and/or new lighting shall be shielded so as to be directed downward in such a manner as to not create off-site glare or adversely impact adjacent properties. The style, location and height of the lighting fixtures shall be submitted with the building plans and shall be subject to approval by the Community Development Director or his designee.

- 13. All existing and/or new landscaping shall be installed with automatic irrigation systems.
- 14. All walls/fences and exposed retaining walls shall be constructed of decorative materials which include but are not limited to splitface block, slumpstone, stuccoed block, brick, wood, crib walls or other similar materials as determined by the Development Review Committee, but specifically excluding precision block.
- 15. The following areas shall be placed in the Landscape and Lighting District:

The developer shall install all improvements and landscape areas. City acceptance on behalf of the Landscape and Lighting District shall be subject to the approval of the Public Works Street Department (237-3864).

- 16. All parking lot landscape planters shall have a minimum outside dimension of six feet and shall be separated from parking and driving areas by a six inch high solid concrete curb.
- 17. The following areas shall be permanently maintained by the property owner, Homeowners' Association, or other means acceptable to the City:

- 18. It is the property owner's responsibility to insure that all construction of private property improvements occur on private property. It is the owner's responsibility to identify the property lines and insure compliance by the owner's agents.

B. THE FOLLOWING CONDITIONS SHALL BE COMPLETED PRIOR TO THE ISSUANCE OF BUILDING PERMITS:

- 1. Two sets of the revised Planning Commission approved plans incorporating all Conditions of Approval, standard and site specific, shall be submitted to the Community Development Department prior to the issuance of building permits.

- 2. Prior to the issuance of building permits, the
 - Development Review Committee shall approve the following:
 - Planning Division Staff shall approve the following:
 - a. A detailed site plan indicating the location of all structures, parking layout, outdoor storage areas, walls, fences and trash enclosures;
 - b. A detailed landscape plan;
 - c. Detailed building elevations of all structures indicating materials, colors, and architectural treatments;
 - d. Other: See site specific conditions is PD Resolution.
- 3. The applicant shall meet with the City's Crime Prevention Officer prior to the issuance of building permits for recommendations on security measures to be incorporated into the design of the structures to be constructed. The applicant is encouraged to contact the Police Department at (805) 237-6464 prior to plan check submittal.

C. THE FOLLOWING CONDITIONS SHALL BE COMPLETED PRIOR TO OCCUPANCY:

- 1. Occupancy of the facility shall not commence until such time as all Uniform Building Code and Uniform Fire Code regulations have been complied with. Prior to occupancy, plans shall be submitted to the Paso Robles Fire Department and the Building Division to show compliance. The building shall be inspected by the appropriate department prior to occupancy.
- 2. All public or private manufactured slopes located adjacent to public right-of-ways on property in excess of six (6) feet in vertical height and of 2.5:1 or greater slope shall be irrigated and landscaped for erosion control and to soften their appearance as follows: one 15-gallon tree per each 250 square feet of slope area, one 1-gallon or larger size shrub per each 100 square feet of slope area, and appropriate ground cover. Trees and shrubs shall be staggered in clusters to soften and vary the slope plane. Slope planting shall include a permanent irrigation system be installed by the developer prior to occupancy. In lieu of the above planting ratio, the applicant may submit a slope planting plan by a licensed landscape architect or contractor providing adequate landscaping, erosion control and slope retention measures; the slope planting plan is subject to approval by the Development Review Committee. Hydroseeding may be considered on lots of 20,000 square feet or greater.

PUBLIC WORKS DEPARTMENT - The applicant shall contact the Engineering Division, (805) 237-3860, for compliance with the following conditions:

APPLICANT: Gearhart PREPARED BY: JF

REPRESENTATIVE: Chacon CHECKED BY: _____

PROJECT: PD 06-021 & Tract 2716 TO PLANNING: _____

All conditions marked are applicable to the above referenced project for the phase indicated.

D. PRIOR TO ANY PLAN CHECK:

1. The applicant shall enter into an Engineering Plan Check and Inspection Services Agreement with the City.

E. PRIOR TO ISSUANCE OF A GRADING PERMIT:

1. Prior to approval of a grading plan, the developer shall apply through the City, to FEMA and receive a Letter of Map Amendment (LOMA) issued from FEMA. The developer's engineer shall provide the required supporting data to justify the application.
2. The proposed structures and grading shall not encroach into the 100-year floodway as specified in Municipal Code Chapter 21.14 "Flood Damage Prevention Regulations".
3. Any existing Oak trees located on the project site shall be protected and preserved as required in City Ordinance No. 553, Municipal Code No. 10.01 "Oak Tree Preservation", unless specifically approved to be removed. An Oak tree inventory shall be prepared listing the Oak trees, their disposition, and the proposed location of any replacement trees required. In the event an Oak tree is designated for removal, an approved Oak Tree Removal Permit must be obtained from the City, prior to removal.
4. A complete grading and drainage plan prepared by a registered civil engineer shall be included with the improvement plans. Drainage calculations shall be submitted, with provisions made for on-site detention/ retention if adequate disposal facilities are not available, as determined by the City Engineer.

- 5. A Preliminary Soils and/or Geology Report shall be prepared by a registered engineer for the property to determine the presence of expansive soils or other soils problems and shall make recommendations regarding grading of the proposed site.

F. PRIOR TO ANY SITE WORK:

- 1. All off-site public improvement plans shall be prepared by a registered civil engineer and shall be submitted to the City Engineer for review and approval. The improvements shall be designed and placed to the Public Works Department Standards and Specifications.
- 2. The applicant shall submit a composite utility plan signed as approved by a representative of each public utility, together with the improvement plans. The composite utility plan shall also be signed by the Water, Fire, Wastewater, and Street Division heads.
- 3. Any grading anticipated during the rainy season (October 15 to April 15) will require the approval of a Construction Zone Drainage and Erosion Control Plan to prevent damage to adjacent property. Appropriateness of areas shall be subject to City Engineer approval.
- 4. Any construction within an existing street shall require a Traffic Control Plan. The plan shall include any necessary detours, flagging, signing, or road closures requested. Said plan shall be prepared and signed by a registered civil or traffic engineer.
- 5. Landscape and irrigation plans for the public right-of-way shall be incorporated into the improvement plans and shall require a signature of approval by the Department of Public Works, Street Superintendent and the Community Development Department.
- 6. The owner shall offer to dedicate and improve the following street(s) to the standard indicated:

Golden Hill Road	Arterial	A-1
Street Name	City Standard	Standard Drawing No.

- 7. The owner shall offer to dedicate to the City the following easement(s). The location and alignment of the easement(s) shall be to the description and satisfaction of the City Engineer:
 - a. Public Utilities Easement;

- b. Water Line Easement;
- c. Sewer Facilities Easement;
- d. Landscape Easement;
- e. Storm Drain Easement.

G. PRIOR TO ISSUANCE OF A BUILDING PERMIT:

- 1. A final soils report shall be submitted to the City prior to the final inspection and shall certify that all grading was inspected and approved, and that all work has been done in accordance with the plans, preliminary report, and Chapter 70 of the Uniform Building Code.
- 2. The applicants civil and soils engineer shall submit a certification that the rough grading work has been completed in substantial conformance to the approved plans and permit.
- 3. When retaining walls are shown on the grading plan, said walls shall be completed before approval of the rough grade, and prior to issuance of any building permits, unless waived by the Building Official and the City Engineer.
- 4. All property corners shall be staked for construction control, and shall be promptly replaced if destroyed.
- 5. Building permits shall not be issued until the water system has been completed and approved, and a based access road installed sufficient to support the City's fire trucks per Fire Department recommendation.
- 6. The developer shall annex to the City's Landscape and Lighting District for payment of the operating and maintenance costs of the following:
 - a. Street lights;
 - b. Parkway and open space landscaping;
 - c. Wall maintenance in conjunction with landscaping;
 - d. Graffiti abatement;
 - e. Maintenance of open space areas.
- 7. Prior to the issuance of a Building Permit for a building within Flood Insurance Rate Map (FIRM) - in zones A1-A30, AE, AO, AH, A, V1-V30, VE and V - the developer shall provide an Elevation Certificate in accordance with the National Flood Insurance Program. This form must be completed by a land surveyor, engineer or architect licensed in the State of California.

- 8. Prior to the issuance of a Building Permit for a building within Flood Insurance Rate Map (FIRM) in zones A1-A30, AE, AO, AH, A, V1-V30, VE and V, the developer shall provide a Flood Proofing Certificate in accordance with the National Insurance Program. This form must be completed by a land surveyor, engineer or architect licensed in the State California.

H. PRIOR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY:

- 1. The applicant shall pay any current and outstanding fees for Engineering Plan Checking and Construction Inspection services and any outstanding annexation fees.
- 2. No buildings shall be occupied until all public improvements are completed and approved by the City Engineer, and accepted by the City Council.
- 3. All final property corners and street monuments shall be installed before acceptance of the public improvements.
- 4. All top soil removed shall be stockpiled and evenly distributed over the slopes and lots upon completion of rough grading to support hydroseeding and landscaping. All slope areas shall be protected against erosion by hydroseeding or landscaping.
- 5. The applicant shall install all street names, traffic signs and traffic striping as directed by the City Engineer.
- 6. If the adjoining existing City street is inadequate for the traffic generated by the project, or will be severely damaged by the construction, the applicant shall remove the entire roadway and replace it with a minimum full half-width street plus a 12' wide travel lane and 8' wide graded shoulder adequate to provide for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition).
- 7. If the development includes a phased street construction along the project boundary for future completion by the adjacent property owner, the applicant shall provide a minimum half-width street plus a 12' wide travel lane and 4' wide graded shoulder adequate for two-way traffic. (A finding of "rough proportionality" has been made in the resolution for this condition).
- 8. When the project fronts on an existing street, the applicant shall pave-out from the proposed curb to the edge of pavement if the existing pavement section is adequate, and shall feather the new paving out to the centerline for a smooth transition. If the existing pavement is inadequate, the roadway shall be replaced to centerline and the remaining pavement shall be overlaid. (A finding of "rough proportionality" has been made in the resolution for this condition).

- ☒ 9. Any utility trenching in existing streets shall be overlaid to restore a smooth riding surface as required by the City Engineer. Boring and jacking rather than trenching may be required on newly constructed or heavily traveled City streets.
- ☒ 10. The applicant shall install all utilities (sewer, water, gas, electricity, cable TV and telephone) underground (as shown on the composite utility plan). Street lights shall be installed at locations as required by the City Engineer. All existing overhead utilities adjacent to or within the project shall be relocated underground except for electrical lines 77 kilovolts or greater. All utilities shall be extended to the boundaries of the project. All underground construction shall be completed and approved by the public utility companies, and the subgrade shall be scarified and compacted, before paving the streets.
- ☒ 11. Prior to paving any street the water and sewer systems shall successfully pass a pressure test. The sewer system shall also be tested by a means of a mandrel and video inspection with a copy of the video tape provided to the City. No paving shall occur until the City has reviewed and viewed the sewer video tape and has determined that the sewerline is acceptable. Any repair costs to the pipeline including trench paving restoration shall be at the developer's expense.
- ☒ 12. A blackline clear Mylar (0.4 MIL) copy and a blueline print of as-built improvement plans, signed by the engineer of record, shall be provided to the City Engineer prior to the final inspection. A reduced copy (i.e. 1" = 100') of the composite utility plan shall be provided to update the City's Atlas Map.
- ☒ 13. All construction refuse shall be separated (i.e. concrete, asphalt concrete, wood gypsum board, etc.) and removed from the project in accordance with the City's Source Reduction and Recycling Element.

PASO ROBLES FIRE DEPARTMENT - The applicant shall contact the Fire Department, (805) 237-3973, for compliance with the following conditions:

I. GENERAL CONDITIONS

- 1. Fire hydrants shall be installed at intervals as required by the Fire Chief and City Engineer. The maximum spacing for single family residential shall be 500 feet. The maximum spacing for multi-family and commercial/ residential shall be 300 feet. On-site hydrants shall be placed as required by the Fire Chief.
- 2. Building permits shall not be issued until the water system, including hydrants, has been tested and accepted and a based access road installed sufficient to support the City's fire apparatus (HS-20 truck loading). The access road shall be kept clear to a minimum of 24 feet at all times and shall be extended to each lot and shall be maintained to provide all weather driving conditions.
- 3. No buildings shall be occupied until all improvements are completed and accepted by the City for maintenance.
- 4. If the development includes phased street construction, temporary turn-arounds shall be provided for streets that exceed 150 feet in length. The temporary turn around shall meet City requirements as set forth in the Public Works Department Standards and Specifications.
- 5. All open space areas to be dedicated to the City shall be inspected by the Fire Department prior to acceptance. A report shall be submitted recommending action needed for debris, brush and weed removal and tree trimming. The developer shall clean out all debris, dead limbs and trash from areas to be recorded as open space prior to acceptance into a Benefit Maintenance District.
- 6. Any open space included in a private development shall be subject to the approval of a vegetation management plan approved by the Fire Chief.
- 7. Each tract or phase shall provide two sources of water and two points of access unless otherwise determined by the Fire Chief and Public Works Director.
- 8. Provisions shall be made to update the Fire Department Run Book.